

**ACTIVE LIVING FOR MENTAL HEALTH:
LIST OF RELATED BIBLIOGRAPHY - VERSION 2 – SEPT 2021**
(In alphabetical order)

1. Arent, S.M., Landers, D.M., & Etnier, J.L. (2000). The effects of exercise on mood in older adults: A meta-analytic review. *Journal of Aging and Physical Activity*, 8, 407-430.
2. Aaltonen, S., Leskinen, T., Morris, T., Alen, M., Kaprio, J., Liukkonen, J., & Kujala, U.M. (2012). Motives for and barriers to physical activity in twin pairs discordant for leisure time physical activity for 30 years. *International Journal of Sports Medicine*, 33(2), 157–163.
3. Aaron Kandola, MSc Gemma Lewis, PhD David P J Osborn, PhD Brendon Stubbs, PhD Joseph F Hayes, PhD Depressive symptoms and objectively measured physical activity and sedentary behaviour throughout adolescence: a prospective cohort study Open AccessPublished: February 11, 2020DOI:https://doi.org/10.1016/S2215-0366(20)30034-1
4. Acil, A., Dogan, S., & Dogan, O. (2008). The effects of physical exercises to mental state and quality of life in patients with schizophrenia. *Journal of Psychiatric and Mental Health Nursing*, 15(10), 808-815.
5. Ada Hui, Theodore Stickley, The Elders Dance Project: a study of a culturally sensitive initiative, *British Journal of Wellbeing*, 10.12968/bjow.2010.1.1.47704, 1, 1, (29-34), (2010).
6. Adams, T., Moore, M., & Dye, J. (2007). The Relationship Between Physical Activity and Mental Health in a National Sample of College Females. *Women & Health*, 45, 69-85. 10.1300/J013v45n01_05
7. Adilson Marques, Duarte Henriques-Neto, Miguel Peralta, Priscila Marconcin, Élvio R. Gouveia, Gerson Ferrari, João Martins, Andreas Ihle, Exploring grip strength as a predictor of depression in middle-aged and older adults, *Scientific Reports*, 10.1038/s41598-021-95566-7, 11, 1, (2021).
8. Adilson Marques, Miguel Peralta, Duarte Henriques-Neto, Diana Frasilho, Élvio Rubio Gouveira, Diego Gomez-Baya, Active Commuting and Depression Symptoms in Adults: A Systematic Review, *International Journal of Environmental Research and Public Health*, 10.3390/ijerph17031041, 17, 3, (1041), (2020).
9. Adults in Japan: An Evidence from a National Longitudinal Survey. *PloS One*, 10(10):e0139777. doi: 10.1371/journal.pone.0139777.
10. AJ Daley, L Foster, G Long, C Palmer, O Robinson, H Walmsley, R Ward, The effectiveness of exercise for the prevention and treatment of antenatal depression: systematic review with meta-analysis, *BJOG: An International Journal of Obstetrics & Gynaecology*, 10.1111/1471-0528.12909, 122, 1, (57-62), (2014).
11. Alejandro de la Torre-Luque, Jose Luis Ayuso-Mateos, The course of depression in late life: a longitudinal perspective, *Epidemiology and Psychiatric Sciences*, 10.1017/S204579602000058X, 29, (2020).
12. Alexandra Blair, Nancy A. Ross, Geneviève Gariépy, Norbert Schmitz. How do neighborhoods affect depression outcomes? A realist review and a call for the examination of causal pathways, *Social Psychiatry and Psychiatric Epidemiology*, 10.1007/s00127-013-0810-z, 49, 6, (873-887), (2014).
13. Alexandra, G., Parker, A., & Bailey, P. (2018). Exercise for Adolescents and Young People With Mental Illness. In B. Stubbs & S. Rosenbaum (Eds.), *Exercise-Based Interventions for Mental Illness* (pp. 149-167). Academic Press. ISBN 9780128126059
14. Alvarez-Jiménez M González-Blanch C Crespo-Facorro B et al. Antipsychotic-induced weight gain in chronic and first-episode psychotic disorders: a systematic critical reappraisal. *CNS Drugs*. 2008; 22: 547-562
15. Alvarez-Jimenez M Gonzalez-Blanch C Prevention of antipsychotic-induced weight gain in young people with psychosis: a multi-modal psychological intervention. *PubliCan, Ediciones de la Universidad de Cantabria, Santander2010*

16. Alvarez-Jiménez M González-Blanch C Vázquez-Barquero JL et al. Attenuation of antipsychotic-induced weight gain with early behavioral intervention in drug-naive first-episode psychosis patients: a randomized controlled trial. *J Clin Psychiatry*. 2006; 67: 1253-1260
17. Alvarez-Jiménez M Hetrick SE González-Blanch C Gleeson JF McGorry PD Non-pharmacological management of antipsychotic-induced weight gain: systematic review and meta-analysis of randomised controlled trials. *Br J Psychiatry*. 2008; 193:101-107
18. Alvarez-Jiménez M Martínez-García O Pérez-Iglesias R Ramírez ML Vázquez-Barquero JL Crespo-Facorro B Prevention of antipsychotic-induced weight gain with early behavioural intervention in first-episode psychosis: 2-year results of a randomized controlled trial. *Schizophr Res*. 2010; 116: 16-19
19. Amanda Daley, Muhammad Riaz, Sarah Lewis, Paul Aveyard, Tim Coleman, Isaac Manyonda, Robert West, Beth Lewis, Bess Marcus, Adrian Taylor, Judith Ibison, Andrew Kent, Michael Ussher, Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial, *BMC Pregnancy and Childbirth*, 10.1186/s12884-018-1784-3, 18, 1, (2018).
20. Amanda L.Rebara, AdrianTaylorb. Physical activity and mental health; it is more than just a prescription <https://doi.org/10.1016/j.mhpa.2017.10.004>
21. American College of Sports Medicine (2013). ACSM's Guidelines for Exercise Testing and Prescription
22. American College of Sports Medicine. Lippincott Williams & Wilkins, Philadelphia. (9th ed.)
23. American College of Sports Medicine-ACSM (2018). Guidelines for Exercise Testing and Prescription.
24. American Psychiatric Association (2013). Diagnostic and statistical manual of mental disorders (5th ed. DSM-5). Washington, DC.
25. American Psychological Association (2000). Encyclopedia of Psychology. Washington DC.
26. Anabela G. Silva, Alexandra Queirós, Pedro Sá-Couto, Nelson P. Rocha, Higher Pain Intensity, Depression, and Being 75 Years or Older are Associated with Lower Levels of Self-Reported Physical Activity in Older Adults with Pain Attending Primary Care, *Clinical Gerontologist*, 10.1080/07317115.2015.1135839, 39, 4, (324-341), (2016).
27. Andersen, M., Ottesen, L., & Thing, L. (2019). The social and psychological health outcomes of team sport participation in adults: An integrative review of research. *Scandinavian Journal of Public Health*, 1–19. DOI: 10.1177/1403494818791405
28. Andersen, R.E., Crespo, C.J., Bartlett, S.J., Cheskin, L.J., & Pratt, M. (1998). Relationship of physical activity and television watching with body weight and level of fatness among children. *Journal of American Medical Association*, 279(12), 938-942.
29. André J. McDonald, Emma J. Mew, Nicola L. Hawley, Sarah R. Lowe, Anticipating the long-term neurodevelopmental impact of the COVID-19 pandemic on newborns and infants: A call for research and preventive policy, *Journal of Affective Disorders Reports*, 10.1016/j.jadr.2021.100213, 6, (100213), (2021).
30. André, N., & Dishman, R. (2012). Evidence for the construct validity of self-motivation as a correlate of exercise adherence in French older adults. *Journal of Aging Physical Activity*, 20(2), 231–245.
31. Andrews, F.M., & Withey, S.B. (1976). Social indicators of well-being: America's perception of life quality. New York (NY): Plenum.
32. Andrews-Fike C. A review of postpartum depression. *Prim Care Companion J Clin Psychiatry*. 1999; 1: 9– 14.
33. Andries De Grip, Maarten Lindeboom, Raymond Montizaan, Shattered Dreams: The Effects of Changing the Pension System Late in the Game*, *The Economic Journal*, 10.1111/j.1468-0297.2011.02486.x, 122, 559, (1-25), (2011).
34. Angela Chalé-Rush, Roger A. Fielding, Relative importance of aerobic versus resistance training for healthy aging, *Current Cardiovascular Risk Reports*, 10.1007/s12170-008-0057-5, 2, 4, (311-317), (2008).

35. Angeli, M., Hatzigeorgiadis, A., Comoutos, N., Krommidas, C., Morres, I. D., & Theodorakis, Y. (2018). The effects of self-regulation strategies following moderate intensity exercise on ad libitum smoking. *Addictive Behaviors*, 87, 109-114. doi.org/10.1016/j.addbeh.2018.06.029
36. Anxiety and Depression Association of America (2018). *What Medications Are Used to Treat Anxiety Disorders?* ADAA Silver Spring, MD.
37. Araceli Navas, María del Carmen Carrascosa, Catalina Artigues, Silvia Ortas, Elena Portells, Aina Soler, Aina M. Yañez, Miquel Bennasar-Veny, Alfonso Leiva, Effectiveness of Moderate-Intensity Aerobic Water Exercise during Pregnancy on Quality of Life and Postpartum Depression: A Multi-Center, Randomized Controlled Trial, *Journal of Clinical Medicine*, 10.3390/jcm10112432, 10, 11, (2432), (2021).
38. Arango, C., Bobes, J., Aranda, P., Carmena, R., Garcia-Garcia, M., Rejas, J., & CLAMORS Study Collaborative Group (2008). A comparison of schizophrenia outpatients treated with antipsychotics with and without metabolic syndrome: Findings from the Clamors study. *Schizophrenia Research*, 104(1-3), 1-12.
39. Archie, S.M., Goldberg, J.O., Akhtar-Danesh, N., Landeen, J., McColl, L., & McNiven, J. (2007). Psychotic disorders, eating habits, and physical activity: Who is ready for lifestyle changes? *Psychiatric Services*, 58(2), 233-239.
40. Ashdown-Franks, G., Firth, J., Carney, R., Carvalho, A. F., Hallgren, M., Koyanagi, A., Rosenbaum, B., Smith, L., Solmi, M., Vancampfort, D., & Stubbs, B. (2020). Exercise as medicine for mental and substance use disorders: A meta-review of the benefits for neuropsychiatric and cognitive outcomes. *Sports Medicine*, 50(1), 151– 170.
41. Attux C Martini LC Elkis H et al. A 6-month randomized controlled trial to test the efficacy of a lifestyle intervention for weight gain management in schizophrenia. *BMC Psychiatry*. 2013; 13: 60
42. Aurélie Nakamura, Judith van der Waerden, Maria Melchior, Camille Bolze, Fabienne El-Khoury, Laura Pryor, Physical activity during pregnancy and postpartum depression: systematic review and meta-analysis, *Journal of Affective Disorders*, 10.1016/j.jad.2018.12.009, (2018).
43. Australian Government, The Department of Health. Australian 24-Hour movement guidelines for children (5–12 years) and young people (13–17 years): an integration of physical activity, sedentary behavior, and sleep. Available at: <https://www.health.gov.au/internet/main/publishing.nsf/Content/ti-5-17years>, accessed 18 October 2020.
44. Awad Mohammed Al-Qahtani, Mohammed Ashique K. Shaikh, Ibrahim Ahmed Shaikh, Exercise as a treatment modality for depression: A narrative review, *Alexandria Journal of Medicine*, 10.1016/j.ajme.2018.05.004, (2018).
45. Aylett, E., Small, N., & Bower, P. (2018). Exercise in the treatment of clinical anxiety in general practice – a systematic review and meta-analysis. *BMC Health Services Research*, 18(1), 559. doi:http://dx.doi.org/10.1186/s12913-018-3313-5.
46. B. Stubbs, A. Koyanagi, F. B. Schuch, J. Firth, S. Rosenbaum, N. Veronese, M. Solmi, J. Mugisha, D. Vancampfort, Physical activity and depression: a large cross-sectional, population-based study across 36 low- and middle-income countries 2016 <https://doi.org/10.1111/acps.12654>
47. Bailey, A. P., Hetrick, S., Rosenbaum, S., Purcell, R., & Parker, A. G. (2018). Treating depression with physical activity in adolescents and young adults: A systematic review and meta-analysis of randomised controlled trials. *Psychological Medicine*, 10, 1– 20.
48. Bailey, R. (2005). Evaluating the relationship between physical education, sport and social inclusion,
49. Baker A Richmond R Haile M et al. A randomized controlled trial of a smoking cessation intervention among people with a psychotic disorder. *Am J Psychiatry*. 2006; 163: 1934-1942
50. Baker AL Turner A Kelly PJ et al. 'Better Health Choices' by telephone: a feasibility trial of improving diet and physical activity in people diagnosed with psychotic disorders. *Psychiatry Res*. 2014; 220: 63-70

51. Baldursdottir B Valdimarsdottir HB Krettek A Gylfason HF Sigfusdottir ID Age-related differences in physical activity and depressive symptoms among 10–19-year-old adolescents: a population based study. *Psychol Sport Exerc.* 2017; 28: 91-99
52. Bandura, A. (1997). *Self-efficacy: The exercise of control.* New York: Freeman.
53. Banham L Gilbody S Smoking cessation in severe mental illness: what works?. *Addiction.* 2010; 105: 1176-1189
54. Bardelli, D. (2012). *Cattolicesimo, ginnastica e sport: Un percorso storico nel rapporto fra religione e attività motorie.* EDUCatt, Milano.
55. Bardo, M.T., & Compton, W.M. (2015). Does physical activity protect against drug abuse vulnerability? *Drug and Alcohol Dependence,* 153, 3-13.
56. Barnes PM, Schoenborn CA. Trends in adults receiving a recommendation for exercise or other physical activity from a physician or other health professional. *NCHS Data Brief.* 2012;86:1–8.
57. Bartels SJ Pratt SI Aschbrenner KA et al. Clinically significant improved fitness and weight loss among overweight persons with serious mental illness. *Psychiatr Serv.* 2013; 64: 729-736
58. Bauer, I., Galvez, J., Hamilton, J., Balanza-Martinez, V., Zunta-Soares, G., Soares, J., & Meyer, T. (2016). Lifestyle interventions targeting dietary habits and exercise in bipolar disorder: A systematic review. *Journal of Psychiatry Research,* 74, 1-7.
59. Beauchamp, M. R., Puterman, E., & Lubans, D. R. (2018). Physical inactivity and mental health in late adolescence. *JAMA Psychiatry,* 75(6), 543– 544.
60. Beebe LH Smith K Burk R et al. Motivational intervention increases exercise in schizophrenia and co-occurring substance use disorders. *Schizophr Res.* 2012; 135: 204-205
61. Beebe, L.H., Smith, K. D., Roman, M.W., Burk, R.C., McIntyre, K., Dessieux, O.L., . . . Tennison, C. (2013). A pilot study describing physical activity in persons with schizophrenia spectrum disorders (ssds) after an exercise program. *Issues in Mental Health Nursing,* 34(4), 214-219. doi:10.3109/01612840.2012.746411
62. Beetham KS, Giles C, Noetel M, Clifton V, Jones JC, Naughton G. The effects of vigorous intensity exercise in the third trimester of pregnancy: a systematic review and meta-analysis. *MC Pregnancy Childbirth.* 2019/08/09 ed2019. p.281.
63. Belmon LS, van Stralen MM, Busch V, Harmsen IA, Chinapaw MJM. What are the determinants of children’s sleep behavior? A systematic review of longitudinal studies. *Sleep Med Rev.* 2018/12/12 ed2019. p.60–70.
64. Belvederi Murri M, Amore M, Menchetti M, Toni G, Neviani F, Cerri M et al. Physical exercise for late-life major depression. *Br J Psychiatry* 2015; 207. doi:10.1192/bjp.bp.114.150516.
65. Belvederi Murri M, Ekkekakis P, Menchetti M, Neviani F, Trevisani F, Tedeschi S et al. Physical exercise for late-life depression: Effects on symptom dimensions and time course. *J Affect Disord* 2018; 230: 65–70.
66. Belvederi Murri M, Nerozzi E, Padula N, Tacconi C, Coni A, Chiari L et al. Late life depression, postural instability and dyspnea: The He.s.i.o.d. study (Hexameter study in older depressed). *Eur Psychiatry* 2017; 41: S646.
67. Bengtsson-Tops, A., & Hansson, L. (2001). Quantitative and qualitative aspects of the social network in schizophrenic patients living in the community. Relationship to sociodemographic characteristics and clinical factors and subjective quality of life. *International Journal of Social Psychiatry,* 47, 67-77.
68. Bente Klarlund Pedersen, *Physical Activity and Pregnancy, Maternal Obesity and Pregnancy,* 10.1007/978-3-642-25023-1, (63-74), (2012).
69. Berger, B.G. (2004). Subjective well-being in obese individuals: The multiple roles of exercise.
70. Berle JO, Aarre TF, Mykletun A, Dahl AA, Holsten F. Screening for postnatal depression. Validation of the Norwegian version of the Edinburgh Postnatal Depression Scale, and assessment of risk factors for postnatal depression. *J Affect Disord.* 2003; 76: 151– 6.
71. Beth A. Lewis, Dwenda K. Gjerdingen, Melissa D. Avery, John R. Sirard, Hongfei Guo, Katie Schuver, Bess H. Marcus, A randomized trial examining a physical activity intervention for the prevention of

- postpartum depression: The healthy mom trial, *Mental Health and Physical Activity*, 10.1016/j.mhpa.2013.11.002, 7, 1, (42-49), (2014).
72. Beth A. Lewis, Katie Schuver, Shira Dunsiger, Lauren Samson, Amanda L. Frayeh, Carrie A. Terrell, Joseph T. Ciccolo, Melissa D. Avery, Rationale, design, and baseline data for the Healthy Mom II Trial: A randomized trial examining the efficacy of exercise and wellness interventions for the prevention of postpartum depression, *Contemporary Clinical Trials*, 10.1016/j.cct.2018.05.002, 70, (15-23), (2018).
 73. Beth Han MD, PhD, MPH, Depressive Symptoms and Self-Rated Health in Community-Dwelling Older Adults: A Longitudinal Study 2002, <https://doi.org/10.1046/j.1532-5415.2002.50411.x>
 74. Biddle SH, Mutrie N. *The psychology of physical activity*. London: Routledge, 20
 75. Biddle, J.H. S. and Ekkekakis P. (2005). *Physically active lifestyles and well-being*. Oxford University Press
 76. Biddle, S. J., Ciaccioni, S., Thomas, G., & Vergeer, I. (2019). Physical activity and mental health in children and adolescents: An updated review of reviews and an analysis of causality. *Psychology of Sport and Exercise*, 42, 146– 155.
 77. Biddle, S.J.H., Fox, K.R., Boutcher, S.H., & Faulkner, G.E. (2000). The way forward for physical activity and the promotion of psychological well-being. In S.J.H. Biddle, K.R. Fox, & S.H. Boutcher (Eds.), *Physical activity and psychological well-being* (pp. 154-168). London: Routledge.
 78. Birkeland MS Torsheim T Wold B A longitudinal study of the relationship between leisure-time physical activity and depressed mood among adolescents. *Psychol Sport Exerc*. 2009; 10: 25-34
 79. Blum JW, Beaudoin CM, Caton-Lemos L. Physical activity patterns and maternal well-being in postpartum women. *Matern Child Health J*. 2004; 8: 163– 9.
 80. Blumenthal JA, Babyak MA, Doraiswamy PM, et al. Exercise and pharmacotherapy in the treatment of major depressive disorder. *Psychosom Med*. 2007;69:587–596.
 81. Blumenthal JA, Babyak MA, Moore KA, et al. Effects of exercise training on older patients with major depression. *Arch Intern Med*. 1999;159:2349–2356.
 82. Boers E Afzali MH Newton N Conrod P Association of screen time and depression in adolescence. *JAMA Pediatr*. 2019; 173: 853
 83. Bonfioli E Berti L Goss C Muraro F Burti L Health promotion lifestyle interventions for weight management in psychosis: a systematic review and meta-analysis of randomised controlled trials. *BMC Psychiatry*. 2012; 12: 78
 84. Boots, L., Wolfs, C., Verhey, F., Kempen, G., & De Vugt, M. (2015). Qualitative study on needs and wishes of early-stage dementia caregivers: The paradox between needing and accepting help.
 85. Boyda HN Tse L Procyshyn RM Honer WG Barr AM Preclinical models of antipsychotic drug-induced metabolic side effects. *Trends Pharmacol Sci*. 2010; 31: 484-496
 86. Bradshaw T Lovell K Harris N Healthy living interventions and schizophrenia: a systematic review. *J Adv Nurs*. 2005; 49: 634-654
 87. Bradshaw T Wearden A Marshall M et al. Developing a healthy living intervention for people with early psychosis using the Medical Research Council's guidelines on complex interventions: phase 1 of the HELPER - InterACT programme. *Int J Nurs Stud*. 2012; 49: 398-406
 88. Brar JS, Ganguli R Pandina G Turkoz I Berry S Mahmoud R Effects of behavioral therapy on weight loss in overweight and obese patients with schizophrenia or schizoaffective disorder. *J Clin Psychiatry*. 2005; 66: 205-212
 89. Bressert, S. (2017). *Substance Use Disorder Treatment*. Psych Central.com
 90. Brett Vaughan, Kylie Fitzgerald, Michael Flesichmann, Jane Mulcahy, The short-form Orebro Musculoskeletal Pain Questionnaire (OMPQ-10): Associations with determinants of health and demographics in a musculoskeletal pain cohort, *International Journal of Osteopathic Medicine*, 10.1016/j.ijosm.2020.10.004, (2020).
 91. Brianna S. Fjeldsoe, Yvette D. Miller, Samantha J. Prosser, Alison L. Marshall, How does MobileMums work? Mediators of a physical activity intervention, *Psychology & Health*, 10.1080/08870446.2019.1687698, (1-16), (2019).

92. British Journal of Sports Medicine, 48, 187-196.
93. Brodersen, N.H., Steptoe, A., Boniface, D.R., & Wardle, J. (2006). Trends in physical activity and sedentary behaviour in adolescence: ethnic and socioeconomic differences. *British Journal of Sports Medicine*, 41(3), 140–144. doi:10.1136/bjism.2006.031138
94. Broman-Fulks, J.J., Berman, M.E., Rabian, B., & Webster, M.J. (2004). Effects of aerobic exercise on anxiety sensitivity. *Behaviour Research and Therapy*, 42(2), 125-136.
95. Browne, J., Penn, D.L., Battaglini, C.L., & Ludwig, K. (2016). Work out by walking: A pilot exercise program for individuals with schizophrenia spectrum disorders. *Journal of Nervous and Mental Disease*, 204(9), 651-657. doi:10.1097/NMD.0000000000000556
96. Bruins J Jörg F Bruggeman R Slooff C Corpeleijn E Pijnenborg M The effects of lifestyle interventions on (long-term) weight management, cardiometabolic risk and depressive symptoms in people with psychotic disorders: a meta-analysis. *PLoS One*.2014; 9: e112276
97. Bull, F. C., Al-Ansari, S. S., Biddle, S., Borodulin, K., Buman, M. P., Cardon, G., Carty, C., Chaput, J. P., Chastin, S., Chou, R., Dempsey, P. C., DiPietro, L., Ekelund, U., Firth, J., Friedenreich, C. M., Garcia, L., Gichu, M., Jago, R., Katzmarzyk, P. T., ... Willumsen, J. F. (2020). World Health Organization 2020 guidelines on physical activity and sedentary behaviour. *British Journal of Sports Medicine*, 54(24), 1451– 1462.
98. Burks RJ, Keeley SM. Exercise and diet therapy: psychotherapists' beliefs and practices. *Prof Psychol Res Pr*. 1989;20:62–64.
99. Burton NW, Pakenham KI, Brown WJ. Are psychologists willing and able to promote physical activity as part of psychological treatment? *Int J Behav Med*. 2010;17:287–297.
100. Byoung-Won Min, Yong-Sun Oh, An Improvement of Interoperability for Content Publication and Management System, *The Journal of the Korea Contents Association*, 10.5392/JKCA.2009.9.10.022, 9, 10, (22-31), (2009).
101. C Jane Morrell, Paul Sutcliffe, Andrew Booth, John Stevens, Alison Scope, Matt Stevenson, Rebecca Harvey, Alice Bessey, Anna Cantrell, Cindy-Lee Dennis, Shijie Ren, Margherita Ragonesi, Michael Barkham, Dick Churchill, Carol Henshaw, Jo Newstead, Pauline Slade, Helen Spiby, Sarah Stewart-Brown, A systematic review, evidence synthesis and meta-analysis of quantitative and qualitative studies evaluating the clinical effectiveness, the cost-effectiveness, safety and acceptability of interventions to prevent postnatal depression, *Health Technology Assessment*, 10.3310/hta20370, 20, 37, (1-414), (2016).
102. C. (2014). Sports activities in a psychosocial perspective: Preliminary analysis of adolescent participation in sports challenges. *International Review for the Sociology of Sport*, 49(1), 85- 101. DOI: 10.1177/1012690212452361
103. Cabral, M., & Astbury, J. (2000). Women's Mental Health, an evidence-based review. *Mental Health Determinants and Populations*. Department of Mental Health and Substance Dependence World Health Organization, Geneva. WHO/MSD/MDP/00.1
104. Caqueo-Urizar, A., Urzua A., & Rus-Calafell, M. (2017). Efectos secundarios de la medicación antipsicótica y calidad de vida en pacientes con esquizofrenia latinoamericanos. *Revista de Terapia Psicológica*, Sociedad Chilena de Psicología Clínica.
105. Caritas Italiana, Fondazione Migrantes, Società Italiana di Medicina delle Migrazioni, *Immigrazione e salute mentale nell'Italia del 2016*, capitolo 4, www.simmweb.it
106. Carl I. Cohen, Aninditha Vengassery, Michael M. Reinhardt, The utility of self-rated health in older adults with schizophrenia, *International Psychogeriatrics*, 10.1017/S1041610219001303, (1-6), (2019).
107. Carless, D. (2007). Phases in physical activity initiation and maintenance among men with serious mental illness. *International Journal of Mental Health Promotion*, 9, 17-27.
108. Carlos Berlanga-Macías, Celia Álvarez-Bueno, José Alberto Martínez-Hortelano, Miriam Garrido-Miguel, Diana P. Pozuelo-Carrascosa, Vicente Martínez-Vizcaíno, Relationship between exclusive

- breastfeeding and cardiorespiratory fitness in children and adolescents: A meta-analysis, *Scandinavian Journal of Medicine & Science in Sports*, 10.1111/sms.13622, 30, 5, (828-836), (2020).
109. Carmen W. H. Chan, Elce Au Yeung, Bernard M. H. Law, Effectiveness of Physical Activity Interventions on Pregnancy-Related Outcomes among Pregnant Women: A Systematic Review, *International Journal of Environmental Research and Public Health*, 10.3390/ijerph16101840, 16, 10, (1840), (2019).
110. Carney, R., Bradshaw, T., & Yung, A. R. (2018). Monitoring of physical health in services for young people at ultra-high risk of psychosis. *Early Intervention in Psychiatry*, 12(2), 153– 159.
111. Carney, R., Cotter, J., Bradshaw, T., Firth, J., & Yung, A. R. (2016). Cardiometabolic risk factors in young people at ultra-high risk for psychosis: A systematic review and meta-analysis. *Schizophrenia Research*, 170(2–3), 290– 300.
112. Carney, R., Cotter, J., Bradshaw, T., & Yung, A. R. (2017). Examining the physical health and lifestyle of young people at ultra-high risk for psychosis: A qualitative study involving service users, parents and clinicians. *Psychiatry Research*, 255, 87– 93.
113. Carney, R., Firth, J., Pedley, R., Law, H., Parker, S., & Lovell, K. (2021). The clinical and behavioral cardiometabolic risk of children and young people on mental health inpatient units: A systematic review and meta-analysis. *General Hospital Psychiatry*, 70, 80– 97.
114. Carney, R., Imran, S., Law, H., Firth, J., & Parker, S. (2020). Physical health interventions on adolescent mental health inpatient units: A systematic review and call to action. *Early Intervention in Psychiatry*, 15, 439– 448.
115. Carney, R., Yung, A. R., Amminger, G. P., Bradshaw, T., Glozier, N., Hermens, D. F., Hickie, I. B., Killackey, E., McGorry, P., Pantelis, C., Wood, S. J., & Purcell, R. (2017). Substance use in youth at risk for psychosis. *Schizophrenia Research*, 181, 23– 29.
116. Caroline R. Richardson Guy Faulkner Judith McDevitt Gary S. Skrinar Dori S. Hutchinson John D. Piette Integrating Physical Activity Into Mental Health Services for Persons With Serious Mental Illness 2005 doi.org/10.1176/appi.ps.56.3.324
117. Carpiniello, B., Primavera, D., Pulu, A., Vaccargiu, N., & Pinna, F. (2013). Physical activity and mental disorders: a case- control study on attitudes, preferences and perceived barriers in Italy. *Journal of Mental Health*, 22, 492–500.
118. Carson V, Hunter S, Kuzik N, Gray CE, Poitras VJ, Chaput JP, et al. Systematic review of sedentary behaviour and health indicators in school-aged children and youth: an update. *Applied Physiol Nutr Metab*. 2016;41(6 Suppl 3):S240–65.
119. Carter, T., Guo, B., Turner, D., Morres, I., Khalil, E., Brighton, E., Armstrong, M., & Callaghan, P. (2015). Preferred intensity exercise for adolescents receiving treatment for depression: A pragmatic randomised controlled trial. *BMC Psychiatry*, 15(1), 1– 12.
120. Carter, T., Morres, I. D., Meade, O., & Callaghan, P. (2016). The Effect of Exercise on Depressive Symptoms in Adolescents: A Systematic Review and Meta-Analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*, 55(7), 580-590. doi:10.1016/j.jaac.2016.04.016
121. Carter, T., Morres, I. D., Meade, O., & Callaghan, P. (2016). The effect of exercise on depressive symptoms in adolescents: A systematic review and meta-analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*, 55(7), 580– 590.
122. Carter, T., Morres, I., Meade, O., & Patrick, C. (2017). Exercise for depression in adolescents: A meta-analysis of randomised controlled trials. *European Psychiatry*, 41(S1), S433.
123. Carter, T., Morres, I., Repper, J. Callaghan, P. (2016). Exercise for adolescents with depression: valued aspects and perceived change. *Journal of Psychiatric Mental Health Nursing*, 23, 37-44).
124. Carter, T., Morres, I.D., Meade, O., & Callaghan, P. (2016). The Effect of Exercise on Depressive Symptoms in Adolescents: A Systematic Review and Meta-Analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*, 55(7), 580-590. doi: 10.1016/j.jaac.2016.04.2016

125. Casey, D.E., & Hansen, T.E. (2009). Excessive mortality and morbidity associated with schizophrenia. In J.M. Meyer & H.A. Nasrallah (Eds.), *Medical illness and schizophrenia* (2nd ed., pp. 17-35). Washington, D.C.: American Psychiatric.
126. Cassilhas, R.C., Viana, V.A., Grassmann, V., Santos, R.T., Santos, R.F., Tufik, S., and Mello,
127. Catherine Burton, Emily Doyle, Kariss Humber, Camille Rouxel, Steffany Worner, Richard Colman, Shea Palmer, The biopsychosocial barriers and enablers to being physically active following childbirth: a systematic literature review, *Physical Therapy Reviews*, 10.1080/10833196.2019.1632049, (1-13), (2019).
128. Catherine Henderson, Simon Dixon, Annette Bauer, Martin Knapp, C. Jane Morrell, Pauline Slade, Stephen J. Walters, Traolach Brugha, Cost-effectiveness of PoNDER health visitor training for mothers at lower risk of depression: findings on prevention of postnatal depression from a cluster-randomised controlled trial, *Psychological Medicine*, 10.1017/S0033291718001940, 49, 08, (1324-1334), (2018).
129. Chatterjee, H. J., Camic, P. M., Lockyer, B., & Thomson, L. J. (2018). Non-clinical community interventions: A systematised review of social prescribing schemes. *Arts & Health*, 10(2), 97– 123.
130. Chekroud SR, Gueorguieva R, Zheutlin AB et al. Association between physical exercise and mental health in 1.2 million individuals in the USA between 2011 and 2015: a cross-sectional study. *Lancet Psychiatry*. 2018; 5: 736-746
131. Chris M. Bleakley, Darryl Charles, Alison Porter-Armstrong, Michael D. J. McNeill, Suzanne M. McDonough, Brendan McCormack, Gaming for Health, *Journal of Applied Gerontology*, 10.1177/0733464812470747, 34, 3, (NP166-NP189), (2013).
132. Christiansen L, Beck MM, Bilenberg N, Wienecke J, Astrup A, Lundbye-Jensen J. Effects of Exercise on Cognitive Performance in Children and Adolescents with ADHD: Potential Mechanisms and Evidence-based Recommendations. *J Clin Med*. 2019/06/20 ed2019.
133. Christy Pu, Ya-Mei Bai, Yiing-Jenq Chou, The impact of self-rated health on medical care utilization for older people with depressive symptoms, *International Journal of Geriatric Psychiatry*, 10.1002/gps.3849, 28, 5, (479-486), (2012).
134. Chu, I.H., Buckworth, J., Kirby, T.E., & Emery, C.F. (2009). Effect of exercise intensity on depressive symptoms in women. *Mental Health and Physical Activity*, 2(1), 37–43.
135. Cillekens B, Lang M, van Mechelen W, Verhagen E, Huysmans M, van der Beek A, et al. How does occupational physical activity influence health? An umbrella review of 23 health outcomes across 158 observational studies. *Br J Sports Med*. 2020;54(24):1479-86.
136. Cirino PT, Chin CE, Sevcik RA, Wolf M, Lovett M, Morris RD. Measuring socioeconomic status: reliability and preliminary validity for different approaches. *Assessment*. 2002; 9: 145– 55.
137. Claudia Cooper, Paul Bebbington, Sally McManus, Howard Meltzer, Robert Stewart, Michael Farrell, Michael King, Rachel Jenkins, Gill Livingston, The treatment of common mental disorders across age groups: Results from the 2007 adult psychiatric morbidity survey, *Journal of Affective Disorders*, 10.1016/j.jad.2010.04.020, 127, 1-3, (96-101), (2010).
138. Cliff DP, Hesketh KD, Vella SA, Hinkley T, Tsiros MD, Ridgers ND, et al. Objectively measured sedentary behaviour and health and development in children and adolescents: systematic review and meta-analysis. *Obes Rev*. 2016;17(4):330–44.
139. Clionadh Mannion, John Hughes, Frank Moriarty, Kathleen Bennett, Caitriona Cahir, Agreement between self-reported morbidity and pharmacy claims data for prescribed medications in an older community based population, *BMC Geriatrics*, 10.1186/s12877-020-01684-8, 20, 1, (2020).
140. Clow, A., & Edmunds, S. (2014). *Physical activity and mental health*. Champaign, IL: Human Kinetics.
- Deci, E.L., & Ryan, R.M. (1985). *Intrinsic motivation and self-determination in human behavior*. New York: Plenum.
141. Coelho FGdM, Andrade LP, Pedrosa RV, et al. Multimodal exercise intervention improves frontal cognitive functions and gait in Alzheimer’s disease: a controlled trial. *Geriatr Gerontol Int*. 2013;13:198–203.

142. Committee on Obstetric Practice. ACOG committee opinion. Exercise during pregnancy and the postpartum period. *Int J Gynaecol Obstet.* 2002; 77: 79– 81.
143. Committee P.A.G.A. (2008). Physical Activity Guidelines Advisory Committee Report, 2008. US Department of Health and Human Services. Washington, DC.
144. Connolly M Kelly C Lifestyle and physical health in schizophrenia. *Adv Psychiatr Treat.* 2005; 11: 125-132
145. Cook, B., Wonderlich, S.A., Mitchell, J., Thompson, R., Sherman, R., & McCallum, K. (2016). Exercise in eating disorders treatment: systematic review and proposal of guidelines. *Medicine & Science in Sports & Exercise*, 48(7), 1408–1414. doi:10.1249/MSS.0000000000000912.
146. Cooney GM, Dwan K, Greig CA, et al. Exercise for depression. *Cochrane Database Syst Rev.* 2013;9:CD004366.
147. Cooper PJ, Murray L. Postnatal depression. *BMJ.* 1998; 316: 1884– 6.
148. Cooper SJ Reynolds GP Barnes TRE et al. BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. *J Psychopharmacol.* 2016; 30: 717-748
149. Correll CU Solmi M Veronese N et al. Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: a large-scale meta-analysis of 3 211 768 patients and 113 383 368 controls. *World Psychiatry.* 2018; 17: 120
150. Correll, C. U., Solmi, M., Veronese, N., Bortolato, B., Rosson, S., Santonastaso, P., Thapa-Chhetri, B., Gallicchio, D., Collantoni, E., Pigato, G., Favaro, A., Monaco, F., Kohler, C., Vancampfort, D., Ward, P. B., Gaughran, F., Carvalho, A. F., & Stubbs, B. (2017). Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: A large-scale meta-analysis of 3,211,768 patients and 113,383,368 controls. *World Psychiatry*, 16(2), 163– 180.
151. Cotter, K.A., & Lachman, M.E. (2010). No strain, no gain: Psychosocial predictors of physical activity across the adult lifespan. *Journal of Physical Activity and Health*, 7(5), 584-594.
152. Coughlan M, Cronin P, Ryan F. Survey research: process and limitations. *Int J Ther Rehabil.* 2009;16:9–15.
153. Cox JL, Holden JM, Sagovsky R. Detection of postnatal depression. Development of the 10-item Edinburgh Postnatal Depression Scale. *Br J Psychiatry.* 1987; 150: 782– 6.
154. Craft, L.L., & Landers, D.M. (1998). The effect of exercise on clinical depression and depression resulting from mental illness: A meta-analysis. *Journal of Sport and Exercise Psychology*, 20, 339-357.
155. Current awareness in geriatric psychiatry, *International Journal of Geriatric Psychiatry*, 10.1002/gps.1913, 23, 7, (i-viii), (2008).
156. Curtis J Watkins A Rosenbaum S et al. Evaluating an individualized lifestyle and life skills intervention to prevent antipsychotic-induced weight gain in first-episode psychosis. *Early Interv Psychiatry.* 2015; (published online Feb 26.)<https://doi.org/10.1111/eip.12230>
157. D. Crone, A. Smith, B. Gough 'I feel totally at one, totally alive and totally happy': a psycho-social explanation of the physical activity and mental health relationship *Health Education Research*, Volume 20, Issue 5, October 2005, Pages 600–611, <https://doi.org/10.1093/her/cyh007>
158. Dacey ML, Kennedy MA, Polak R, et al. Physical activity counseling in medical school education: a systematic review. *Med Educ Online.* 2014;19:24325.
159. Dadvand, P., et al. (2016). Green spaces and General Health: Roles of mental health status, social support, and physical activity. *Environment International*, 91, 161-167.
160. Dale, L. P., Vanderloo, L., Moore, S., & Faulkner, G. (2019). Physical activity and depression, anxiety, and self-esteem in children and youth: An umbrella systematic review. *Mental Health and Physical Activity*, 16, 66– 79.
161. Daley A, Jolly K, MacArthur C. The effectiveness of exercise in the management of post-natal depression: systematic review and meta-analysis. *Fam Pract.* 2009; 26: 154– 62.
162. Daley A. Exercise and depression: a review of reviews. *J Clin Psychol Med Settings.* 2008; 15: 140– 7.

163. Danxia Liu, Juan Xi, Brian J. Hall, Mingqi Fue, Bo Zhang, Jing Guo, XingLin Feng, Attitudes toward Aging, Social Support and Depression among Older Adults: Difference by Urban and Rural Area in China, *Journal of Affective Disorders*, 10.1016/j.jad.2020.05.052, (2020).
164. Daria Kołomańska, Marcin Zarawski, Agnieszka Mazur-Bialy, Physical Activity and Depressive Disorders in Pregnant Women—A Systematic Review, *Medicina*, 10.3390/medicina55050212, 55, 5, (212), (2019).
165. Das P, Horton R. Rethinking our approach to physical activity. *Lancet*. 2012;380(9838):189–90.
166. Daumit GL Dickerson FB Wang N-Y et al. A behavioral weight-loss intervention in persons with serious mental illness. *N Engl J Med*. 2013; 368: 1594-1602
167. Davenport MH, McCurdy AP, Mottola MF, Skow RJ, Meah VL, Poitras VJ, et al. Impact of prenatal exercise on both prenatal and postnatal anxiety and depressive symptoms: a systematic review and meta-analysis. *Br J Sports Med*. 2018;52(21):1376-85.10.1136/bjsports-2018-099697
168. Davenport MH, Meah VL, Ruchat SM, Davies GA, Skow RJ, Barrowman N, et al. Impact of prenatal exercise on neonatal and childhood outcomes: a systematic review and meta-analysis. *Br J Sports Med*. 2018;52(21):1386–96.
169. David Glenister Exercise and mental health: a review 1996
<https://doi.org/10.1177/146642409611600102>
170. De Hert M Correll CU Bobes J et al. Physical illness in patients with severe mental disorders. I. Prevalence, impact of medications and disparities in health care. *World Psychiatry*. 2011; 10: 52-77
171. De Hert, M., Schreurs, V., Vancampfort, D., & Van Winkel, R. (2009). Metabolic syndrome in people with schizophrenia: A review. *World Psychiatry*, 8(1), 15– 22.
172. De Oto, A. (2016). *Sport e Identità: la lotta alla discriminazione in ambito sportivo*, Bonomo Editore. Bologna
173. De Silva, S., Bailey, A. P., Parker, A. G., Montague, A. E., & Hetrick, S. E. (2018). Open-access evidence database of controlled trials and systematic reviews in youth mental health. *Early Intervention in Psychiatry*, 12(3), 474– 477.
174. Deborah Dillon McDonald, Juliette M. Shellman, Lindsey Graham, Lisa Harrison, The Relationship Between Reminiscence Functions, Optimism, Depressive Symptoms, Physical Activity, and Pain in Older Adults, *Research in Gerontological Nursing*, 10.3928/19404921-20160531-01, 9, 5, (223-231), (2016).
175. Deci, E.L., & Ryan, R.M. (2000). Intrinsic and Extrinsic Motivations: Classic Definitions and New Directions. *Contemporary Educational Psychology*, 25, 54-67.
176. Dena Sadeghi Bahmani, Juerg Kesselring, Malamati Papadimitriou, Jens Bansi, Uwe Pühse, Markus Gerber, Vahid Shaygannejad, Edith Holsboer-Trachsler, Serge Brand, In Patients With Multiple Sclerosis, Both Objective and Subjective Sleep, Depression, Fatigue, and Paresthesia Improved After 3 Weeks of Regular Exercise, *Frontiers in Psychiatry*, 10.3389/fpsy.2019.00265, 10, (2019).
177. Denise G. Simons-Morton, MD, PhD ACSM's Exercise Is Medicine™: A Clinician's Guide to Exercise Prescription DOI:<https://doi.org/10.1016/j.amepre.2009.08.021>
178. Depression and Personality: A Population-Based Study. *Preventive Medicine*, 42, 273-279. 10.1016/j.ypped.2005.12.002
179. Dergance, J.M., Calmbach, W.L., Dhanda, R., Miles, T.P., Hazuda, H.P., & Mouton, C.P. (2003). Barriers to and benefits of leisure time physical activity in the elderly: differences across cultures. *Journal of American Geriatric Society*, 51(6), 863-868.
180. Diener, E., Suh, E.M., Lucas, R.E., & Smith, H.L. (1999). Subjective Well-Being. Three Decades of Progress. *Psychological Bulletin*, Washington, DC, US: American Psychological Association.
181. Dimidjian S, Goodman S. Nonpharmacologic intervention and prevention strategies for depression during pregnancy and the postpartum. *Clin Obstet Gynecol*. 2009; 52: 498– 515.
182. Ding D, Lawson KD, Kolbe-Alexander TL, Finkelstein EA, Katzmarzyk PT, van Mechelen W, et al. The economic burden of physical inactivity: a global analysis of major non-communicable diseases. *The Lancet*. 2016;388(10051):1311–24.

183. Dixon, L., Postrado, L., Delahanty, J., Fischer, P.J., & Lehman, A. (1999). The association of medical comorbidity in schizophrenia with poor physical and mental health. *The Journal of Nervous and Mental Disease*, 187, 496-502.
184. Domingo, B., & Zhang, X. (2019). *Overview of Substance-Related Disorders*. Merck & Co., Inc., Kenilworth, NJ, USA.
185. Dominic Julien PhD, Lise Gauvin PhD, Lucie Richard PhD, Yan Kestens PhD, H el ene Payette PhD, Longitudinal Associations Between Walking Frequency and Depressive Symptoms in Older Adults: Results from the VoisiNuAge Study 2013 <https://doi.org/10.1111/jgs.12546>
186. Donald, H., Paterson, J., & Murias, M. (2014). Physical Functioning and Mental Health in Older Adults, In A. Clow, & S. Edmunds (Eds.), *Physical Activity and Mental Health* (pp. 119–140). Champaign, Ill: Human Kinetics. ISBN – 13: 978-1-4504-3433-1
187. Dorer, G., Harries, P., & Marston, L. (2009). Measuring social inclusion: a staff survey of mental health service users’ participation in community occupations. *British Journal of Occupational Therapy*, 72(12), 520-530. DOI: 10.4276/030802209X12601857794691
188. Douw, L., Nieboer, D., van Dijk, B.W., Stam, C.J., & Twisk, J.W. (2014). A healthy brain in a healthy body: brain network correlates of physical and mental fitness. *PLoS One*, 9(2), e88202. *Educational Review*, 57(1), 71-90, DOI:10.1080/0013191042000274196
189. Dunn AL, Jewell JS. The effect of exercise on mental health. *Curr Sports Med Rep*. 2010;9:202–207.
190. Dunn AL, Trivedi MH, Kampert JB, et al. Exercise treatment for depression: efficacy and dose response. *Am J Prev Med*. 2005;28:1–8.
191. Dunn, A. L., & Blair, S. N. (1997). Exercise prescription. In W. P. Morgan (Ed.), *Physical activity and mental health* (pp. 49–62). Taylor & Francis.
192. Eapen, V., & John, G. (2011). Weight gain and metabolic syndrome among young patients on antipsychotic medication: What do we know and where do we go? *Australasian Psychiatry*, 19(3), 232– 235.
193. Eberhard-Gran M, Eskild A, Tambs K, Schei B, Opjordsmoen S. The Edinburgh Postnatal Depression Scale: validation in a Norwegian community sample. *Nord J Psychiatry*. 2001; 55: 113– 7.
194. Edwards, M.K., & Loprinzi, P.D. (2016). Effects of a sedentary behavior–inducing randomized controlled intervention on depression and mood profile in active young adults. *Mayo Clinic Proceedings*, 91(8), 984-998. doi:10.1016/j.mayocp.2016.03.021
195. Eime, R. M., Young, J. A., Harvey, J. T., Charity, M. J., & Payne, W. R. (2013). A systematic review of the psychological and social benefits of participation in sport for children and adolescents: Informing development of a conceptual model of health through sport. *International Journal of Behavioral Nutrition and Physical Activity*, 10(1), 1– 21.
196. Ekelund U, Steene-Johannessen J, Brown WJ, Fagerland MW, Owen N, Powell KE, et al. Does physical activity attenuate, or even eliminate, the detrimental association of sitting time with mortality? A harmonised meta- analysis of data from more than 1 million men and women. *Lancet*. 2016;388:1302–10.
197. Ekkekakis P, Murri MB. Exercise as antidepressant treatment: time for the transition from trials to clinic? *Gen Hosp Psychiatry*. 2017;49:A1–A5.
198. Ekkekakis P., Vazou Sp. (2010) *Physical Exercise and Mental Health after four decades of Research. Examination of Meta- Analysis reviews of bibliography*
199. Ekkekakis, P. (2015). Honey, I shrunk the pooled SMD! Guide to critical appraisal of systematic reviews and meta-analysis using the Cochrane review on exercise for depression as example. *Mental Health and Physical Activity*, 8, 21-36.
200. Eklund, M., & Hansson, L. (2007). Social network among people with persistent mental illness: Associations with sociodemographic, clinical and health-related factors. *International Journal of Social Psychiatry*, 53(4), 293–305. doi:10.1177/0020764006074540

201. Elisa Tiilikainen, Inna Lisko, Eija Kekkonen, Alina Solomon, Tiia Ngandu, Miia Kivipelto, Jenni Kulmala, Everyday Life Meaningfulness for the Community-Dwelling Oldest Old During the COVID-19 Pandemic, *Frontiers in Psychology*, 10.3389/fpsyg.2021.716428, 12, (2021).
202. Elizabeth H. Eustis, Samantha Ernst, Kristen Sutton, Cynthia L. Battle, Innovations in the Treatment of Perinatal Depression: the Role of Yoga and Physical Activity Interventions During Pregnancy and Postpartum, *Current Psychiatry Reports*, 10.1007/s11920-019-1121-1, 21, 12, (2019).
203. Elvira Reale, Salute mentale nella donna e differenze di genere: dalle evidenze clinico-epidemiologiche alle prospettive di una prevenzione mirata, [http://www.salutementaledonna.it/!% 20dis-turbi%20psichici%20nella%20donna.pdf](http://www.salutementaledonna.it/!%20dis-turbi%20psichici%20nella%20donna.pdf)
204. Engeroff T, Ingmann T, Banzer W. Physical activity throughout the adult life span and domain-specific cognitive function in old age: a systematic review of cross-sectional and longitudinal data. *Sports Med.* 2018;48(6):1405–36.
205. England, N. H. S. (2015). The Five Year Forward View Mental Health Taskforce: Public engagement findings. A report from the independent Mental Health Taskforce to the NHS in England. Retrieved January 18, 2016, from <https://www.england.nhs.uk/mentalhealth/wp-content/uploads/sites/29/2015/09/fyfv-mental-hlth-taskforce.pdf>
206. EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH) Brendon Stubbs,a,b,* , Davy Vancampfort,c, Mats Hallgren,d, Joseph Firthe,f, Nicola Veronesi,g, Marco Solmi,h, Serge Brand,i,j,k, Joachim Cordes,l, Berend Malchowm, Markus Gerberj, Andrea Schmittm,n, Christoph U. Corrello,p,q, Marc De Hertr, Fiona Gaughrana,b, Frank Schneiders, <http://dx.doi.org/10.1016/j.eurpsy.2018.07.004>
207. Erickson, K.I., & Kramer, A.F. (2008). Aerobic exercise effects on cognitive and neural plasticity in older adults. *British Journal of Sports Medicine*, 43(1), 22–24. doi:10.1136/bjsm.2008.052498
208. Ersek JL, Brunner Huber LR. Physical activity prior to and during pregnancy and risk of postpartum depressive symptoms. *J Obstet Gynecol Neonatal Nurs.* 2009; 38: 556– 66.
209. Escobar-Roldan, Ivan D. MD; Babyak, Michael A. PhD; Blumenthal, James A. PhD Exercise Prescription Practices to Improve Mental Health *Journal of Psychiatric Practice: July 2021 - Volume 27 - Issue 4 - p 273-282* doi: 10.1097/PRA.0000000000000554
210. Eun Ju Lim, Gender differences in the relationship between physical functioning and depressive symptoms in low-income older adults living alone, *Nursing & Health Sciences*, 10.1111/nhs.12119, 16, 3, (381-386), (2014).
211. Eunjoo Kim, Hyang Kim, Ju Young Yoon, Trajectories of Self-rated Health among One-person Households: A Latent Class Growth Analysis, *Journal of Korean Academy of Community Health Nursing*, 10.12799/jkachn.2019.30.4.449, 30, 4, (449), (2019).
212. Eun-Kyoung Othelia Lee, Jungui Lee, Gender Differences in Predictors of Mental Health among Older Adults in South Korea, *The International Journal of Aging and Human Development*, 10.2190/AG.72.3.c, 72, 3, (207-223), (2011).
213. Eurostat (2018). Mental health and related issues statistics. Eurostat Statistics Explained.
214. Evans S Newton R Higgins S Nutritional intervention to prevent weight gain in patients commenced on olanzapine: a randomized controlled trial. *Aust N Z J Psychiatry.* 2005; 39: 479-486
215. Evans, D.A. (2002). Cognitive activity and incident AD in a population-based sample of older persons. *Neurology*, 59(12), 1910-1914. <http://dx.doi.org/10.1212/01.WNL.0000036905.59156.A1>
216. Evans, S., Banerjee, S., Huxley, P.J., & Leese, M. (2007). The Impact of Mental Illness on Quality of Life: A Comparison of Severe Mental Illness, Common Mental Disorder and Healthy Population Samples. *Quality of Life Research*, 16, 17-29.
217. Evelyn Smith, Ian Kneebone, Assessment and Psychological Interventions for Depression Comorbid with Cardiovascular Disease, *Cardiovascular Diseases and Depression*, 10.1007/978-3-319-32480-7, (351-364), (2016).

218. F.B. (2016b). Dropout from exercise randomized controlled trials among people with depression: A meta-analysis and meta regression. *Journal of Affective Disorders*, 190, 457–466.
219. Falkai, P., Malchow, B., & Schmitt, A. (2017). Aerobic exercise and its effects on cognition in schizophrenia. *Current Opinion in Psychiatry*, 30, 171-175.
220. Farina, N., Rusted, J., & Tabet, N. (2014). The effect of exercise interventions on cognitive outcome in Alzheimer's disease: A systematic review. *International Psychogeriatrics*, 26(1), 9-18. doi:10.1017/S1041610213001385
221. Faulkner G Cohn T Remington G Irving H Body mass index, waist circumference and quality of life in individuals with schizophrenia. *Schizophr Res.* 2007; 90: 174-178
222. Faulkner, G., & Biddle, S. (2001). Exercise and mental health: It's just not psychology! *Journal of Sports Sciences*, 19, 433-444.
223. Faulkner, G., Cohn, T., & Remington, G. (2007). Interventions to reduce weight gain in schizophrenia. *The Cochrane Database Systematic Reviews*, 24(1), CD005148.
224. Fedele, V. (2014). Controllo, legittimazione e riconoscimento: l'islam e lo sport, in *Diritto e religioni*, 1, 333.
225. Feifei Bu, Andrew Steptoe, Daisy Fancourt, Relationship between loneliness, social isolation and modifiable risk factors for cardiovascular disease: a latent class analysis, *Journal of Epidemiology and Community Health*, 10.1136/jech-2020-215539, (jech-2020-215539), (2021).
226. Felipe J. Aida, Nuno D. Garrido, António J. Silva, Victor M. Reis, Daniel A. Marinho, Ricardo Jacó de Oliveira, Effects of aquatic exercise on depression and anxiety in ischemic stroke subjects, *Health*, 10.4236/health.2013.52030, 05, 02, (222-228), (2013).
227. Felix Sebastian Wicke, Truc Sophia Dinh, Steffi Riedel-Heller, Siegfried Weyerer, Hans-Helmut König, Jochen Gensichen, Gerhard Schön, Karl Wegscheider, Horst Bickel, Angela Fuchs, Ingmar Schäfer, Hendrik van den Bussche, Martin Scherer, Karola Mergenthal, Predictors of change in depressive symptoms in older and multimorbid patients: a longitudinal analysis of the multicare cohort, *Aging & Mental Health*, 10.1080/13607863.2021.1902470, (1-10), (2021).
228. Ferguson, J.M. (2001). SSRI Antidepressant Medications: Adverse Effects and Tolerability. *Primary Care Companion Journal of Clinical Psychiatry*, 3(1), 22-27.
229. Fibbins, H., Lederman, O., Morell, R., Furzer, B., Wright, K., & Stanton, R. (2019). Incorporating exercise professionals in mental health settings: An Australian perspective. *Journal of Clinical Exercise Physiology*, 8(1), 21– 25.
230. Firth J Stubbs B Vancampfort D et al. The validity and value of self-reported physical activity and accelerometry in people with schizophrenia: a population-scale study of the UK Biobank. *Schizophr Bull.* 2017; (published online Oct 24.) DOI:10.1093/schbul/sbx149
231. Firth J, Stubbs B, Rosenbaum S, Vancampfort D, Malchow B, Schuch F, et al. Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. *Schizophr Bull.* 2016/08/16 ed2017. p. 546-56.
232. Firth, J., Carney, R., Elliott, R., French, P., Parker, S., McIntyre, R., ... Yung, A.R. (2018). Exercise as an intervention for first-episode psychosis: A feasibility study. *Early Intervention in Psychiatry*, 12(3), 307-315. <https://doi.org/10.1111/eip.12329>
233. Firth, J., Carney, R., Jerome, L., Elliott, R., French, P., & Yung, A. R. (2016). The effects and determinants of exercise participation in first-episode psychosis: A qualitative study. *BMC Psychiatry*, 16(1), 1– 9.
234. Firth, J., et al. (2016). The effects and determinants of exercise participation in first-episode psychosis: a qualitative study. *BMC Psychiatry* 20, 16-36.
235. Firth, J., Rosenbaum, S., Stubbs, P., Gorkzynski, A.R., Yung, A.R., & Vancampfort, D. (2016). Motivating factors and barriers towards exercise in severe mental illness: A systematic review and meta-analysis. *Psychological Medicine*, 9, 2869-2881.
236. Firth, J., Schuch, F., & Mittal, V. A. (2020). Using exercise to protect physical and mental health in youth at risk for psychosis. *Research in Psychotherapy*, 23(1), 33– 37.

237. Firth, J., Siddiqi, N., Koyanagi, A., Siskind, D., Rosenbaum, S., Galletly, C., Allan, B., Carney, R., Carvalho, A. F., Chatterton, M. L., Correll, C. U., Curtis, J., Gaughran, F., Heald, A., Hoare, E., Jackson, S. E., Kisely, S., Lovell, K., Maj, M., ... Stubbs, B. (2019). The Lancet Psychiatry Commission: A blueprint for protecting physical health in people with mental illness. *The Lancet Psychiatry*, 6(8), 675–712.
238. Firth, J., Solmi, M., Wootton, R. E., Vancampfort, D., Schuch, F. B., Hoare, E., Gilbody, S., Torous, J., Teasdale, S. B., Jackson, S. E., Smith, L., Eaton, M., Jacka, F. N., Veronese, N., Marx, W., Ashdown-Franks, G., Siskind, D., Sarris, J., Rosenbaum, S., Carvalho, A. F., & Stubbs, B. (2020). A meta-review of “lifestyle psychiatry”: The role of exercise, smoking, diet and sleep in the prevention and treatment of mental disorders. *World Psychiatry*, 19(3), 360–380.
239. Firth, J., Stubbs, B., Vancampfort, D., Schuch, F.B., Rosenbaum, S., Ward, P.B., ... Yung, A.R. (2017). The validity and value of self-reported physical activity and accelerometry in people with schizophrenia: A population-scale study of the UK Biobank. *Schizophrenia Bulletin*, 44(6), 1293–1300.
240. Floor J. Van Deudekom, Jelle De Gelder, Jacinta A. Lucke, Anneleen Oostendorp – Lange, Sander Anten, Gerard J. Blauw, Bas De Groot, Simon P. Mooijaart, Determinants of self-rated health in older adults before and 3 months after an emergency department visit, *European Journal of Emergency Medicine*, 10.1097/MEJ.0000000000000538, 26, 4, (255-260), (2019).
241. Foley DL Morley KI Systematic review of early cardiometabolic outcomes of the first treated episode of psychosis. *Arch Gen Psychiatry*. 2011; 68: 609-616
242. Forbes D, Forbes SC, Blake CM, et al. Exercise programs for people with dementia. *Cochrane Database Syst Rev*. 2015;4:CD006489.
243. Foussias, G., Mann, S., Zakzanis, K.K., van Reekum, R., & Remington, G. (2009). Motivational deficits as the central link to functioning in schizophrenia: A pilot study. *Schizophrenia Research*, 115(2-3), 333–337.
244. Francesco Bottaccioli 1,2 , Anna Giulia Bottaccioli 2,3, Enrica Marzola 4 , Paola Longo 4 , Andrea Minelli 5 and Giovanni Abbate-Daga 4, Nutrition, Exercise, and Stress Management for Treatment and Prevention of Psychiatric Disorders. A Narrative Review Psychoneuroendocrineimmunology-Based **Endocrines* 2021, 2, 226–240. <https://doi.org/10.3390/20300222>
245. Frederick, C., & Morris, T. (2004). Intrinsic and Extrinsic Motivation in Sport and Exercise. In T. Morris & J. Summers (Eds.), *Sport Psychology: Theory, Applications and Issues* (pp. 121–151). Australia: John Wiley & Sons.
246. Fremont J, Craighead LW. Aerobic exercise and cognitive therapy in the treatment of dysphoric moods. *Cogn Ther Res*. 1987;11:241–251.
247. Galletly CA Foley DL Waterreus A et al. Cardiometabolic risk factors in people with psychotic disorders: the second Australian national survey of psychosis. *Aust N Z J Psychiatry*. 2012; 46: 753-761
248. Galletly CL Murray LE Managing weight in persons living with severe mental illness in community settings: a review of strategies used in community interventions. *Issues Ment Health Nurs*. 2009; 30: 660-668
249. Galling, B., & Correll, C. U. (2015). Do antipsychotics increase diabetes risk in children and adolescents? *Expert Opinion on Drug Safety*, 14(2), 219–241.
250. Garcia Ashdown-Franks, Catherine M. Sabiston, Brendon Stubbs, The evidence for physical activity in the management of major mental illnesses, *Current Opinion in Psychiatry*, 10.1097/YCO.0000000000000526, 32, 5, (375-380), (2019).
251. Garcia Ashdown-Franks, Joseph Firth, Rebekah Carney, Andre F. Carvalho, Mats Hallgren, Ai Koyanagi, Simon Rosenbaum, Felipe B. Schuch, Lee Smith, Marco Solmi, Davy Vancampfort, Brendon Stubbs, Exercise as Medicine for Mental and Substance Use Disorders: A Meta-review of the Benefits for Neuropsychiatric and Cognitive Outcomes, *Sports Medicine*, 10.1007/s40279-019-01187-6, (2019).
252. Gelkopf M Noam S Rudinski D et al. Nonmedication smoking reduction program for inpatients with chronic schizophrenia: a randomized control design study. *J Nerv Ment Dis*. 2012; 200: 142-146
253. Gema Sanabria-Martínez, Raquel Poyatos-León, Blanca Notario-Pacheco, Celia Álvarez-Bueno, Iván Cavero-Redondo, Vicente Martínez-Vizcaino, Effects of physical exercise during pregnancy on

- mothers' and neonates' health: a protocol for an umbrella review of systematic reviews and meta-analysis of randomised controlled trials, *BMJ Open*, 10.1136/bmjopen-2019-030162, 9, 9, (e030162), (2019).
254. Gibson J, McKenzie-McHarg K, Shakespeare J, Price J, Gray R. A systematic review of studies validating the Edinburgh Postnatal Depression Scale in antepartum and postpartum women. *Acta Psychiatr Scand*. 2009; 119: 350– 64.
255. Giesen ES, Deimel H, Bloch W. Clinical exercise interventions in alcohol use disorders: a systematic review. *J Subst Abuse Treat*. 2015;52:1–9.
256. Gina Kang, Alexandra Hajduk, Richard Marottoli, Marcella Nunez-Smith, Older immigrants perceived health after migration to the United States: Influence of age and level of acculturation, *Journal of the American Geriatrics Society*, 10.1111/jgs.17363, 69, 9, (2625-2637), (2021).
257. Glowacki K, Weatherson K, Faulkner G. Barriers and facilitators to health care providers' promotion of physical activity for individuals with mental illness: a scoping review. *Ment Health Phys Act*. 2019;16:152–168.
258. Glowacki, K., Duncan, M. J., Gainforth, H., & Faulkner, G. (2017). Barriers and facilitators to physical activity and exercise among adults with depression: A scoping review. *Mental Health and Physical Activity*, 13, 108-119.
259. Goñi, A., & Rodríguez, A. (2007). Variables associated with the risk of eating disorders in adolescence. *Salud Mental*, 30(4), 16-23.
260. Goodwin A, Astbury J, McMeeken J. Body image and psychological well-being in pregnancy. A comparison of exercisers and non-exercisers. *Aust N Z J Obstet Gynaecol*. 2000; 40: 442– 7.
261. Goodwin, R.D. (2003). Association between physical activity and mental disorders among adults in the United States. *Preventive Medicine*, 36(6), 698-703.
262. Gorczynski P, Faulkner G. Exercise therapy for schizophrenia. *Cochrane Database Syst Rev*. 2010;5:CD004412.
263. Gorczynski, P., Faulkner, G., Greening, S., & Cohn, T. (2010). Exploring the construct validity of the transtheoretical model to structure physical activity interventions for individuals with serious mental illnesses. *Psychiatric Rehabilitation Journal*, 34, 61-64.
264. Gorczynski, P., Faulkner, G., & Cohn, T. (2013). Dissecting the obesogenic environment of a psychiatric setting: Client perspectives. *Canadian Journal of Community Mental Health*, 32(3), 51– 68.
265. Gordon BR, McDowell CP, Hallgren M, Meyer JD, Lyons M, Herring MP. Association of efficacy of resistance exercise training with depressive symptoms: Meta-analysis and meta-regression analysis of randomized clinical trials. *JAMA Psychiatry*. 2018;75(6):566–76.
266. Gordon BR, McDowell CP, Lyons M, Herring MP. The effects of resistance exercise training on anxiety: a meta-analysis and meta-regression analysis of randomized controlled trials. *Sports Med*. 2017;47(12):2521–32.
267. Gore, S., Farrell, F., & Gordon, J. (2001). Sports involvement as protection against depressed mood.
268. Grace, S.L., Abbey, S.E., Pinto, R., Shnek, Z.M., Irvine, J., & Stewart, D.E. (2005). Longitudinal course of depressive symptomatology after a cardiac event: Effects of gender and cardiac rehabilitation. *Psychosomatic Medicine*, 67, 52-58.
269. Graneheim, U. H., & Lundman, B. (2004). Qualitative content analysis in nursing research: concepts, procedures and measures to achieve trustworthiness. *Nurse Education Today*, 24(2), 105- 112.
270. Grbich, C. (2007). Epistemological changes and their impact on the field. *Qualitative Data Analysis: An introduction*, 3-15.
271. Green CA Janoff SL Yarborough BJH Yarborough MT A 12-week weight reduction intervention for overweight individuals taking antipsychotic medications. *Community Ment Health J*. 2014; 50: 974-980
272. Green, J., & Thorogood, N. (2004). In-depth interviews. *Qualitative Methods for Health Research*, 2(1), 93-122.

273. Groot, C., Hooghiemstra, A.M., Raijmakers, P.G. H.M., van Berckel, B.N.M., Scheltens, P., Scherder, E.J.A., & Ossenkoppele, R. (2016). The effect of physical activity on cognitive function in patients with dementia: A meta-analysis of randomized control trials. *Ageing Research*
274. Guell, C., Shefer, G., Griffin, S., and Ogilvie, D. (2016). "Keeping your body and mind active": an ethnographic study of aspirations for healthy ageing. *BMJ Open*. 6(1):e009973. doi: 10.1136/bmjopen-2015-009973.
275. Gulliver, A., Griffiths, K.M., & Christensen, H. (2012). Barriers and facilitators to mental health help-seeking for young elite athletes: A qualitative study. *BMC Psychiatry* 12, 157.
276. Gum-Ryeong Park, Jinho Kim, Depressive symptoms among cancer patients: Variation by gender, cancer type, and social engagement, *Research in Nursing & Health*, 10.1002/nur.22168, 44, 5, (811-821), (2021).
277. Gustaf Boström, Mia Conradsson, Carl Hörnsten, Erik Rosendahl, Nina Lindelöf, Henrik Holmberg, Peter Nordström, Yngve Gustafson, Håkan Littbrand, Effects of a high-intensity functional exercise program on depressive symptoms among people with dementia in residential care: a randomized controlled trial, *International Journal of Geriatric Psychiatry*, 10.1002/gps.4401, 31, 8, (868-878), (2015).
278. Gustavsson, C., Nordqvist, M., Bröms, K., Jerdén, L., Kallings, L V. et al. (2018). *BMC Health Services Research* (2018) 18:196 What is required to facilitate implementation of Swedish physical activity on prescription? – interview study with primary healthcare staff and management <https://doi.org/10.1186/s12913-018-3021-1>
279. Guthold R, Stevens GA, Riley LM, Bull FC. Global trends in insufficient physical activity among adolescents: a pooled analysis of 298 population-based surveys with 1.6 million participants. *Lancet Child Adolesc Health*. 2020;4(1):23–35.
280. Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. *Lancet Glob Health*. 2018;6(10):e1077–e86.
281. Hagen, I., & Nayar, U. S. (2014). Yoga for children and young people's mental health and well-being: Research review and reflections on the mental health potentials of yoga. *Frontiers in Psychiatry*, 5, 35.
282. Hallgren M Dunstan DW Owen N Passive versus mentally active sedentary behaviors and depression. *Exerc Sport Sci Rev*. 2020; 48: 20-27
283. Hallgren M Nguyen T-T-D Owen N et al. Cross-sectional and prospective relationships of passive and mentally active sedentary behaviours and physical activity with depression. *Br J Psychiatry*. 2019; : 1-7
284. Hamer M Coombs N Stamatakis E Associations between objectively assessed and self-reported sedentary time with mental health in adults: an analysis of data from the Health Survey for England. *BMJ Open*. 2014; 4e004580
285. Hamer, M. (2014). Social Class Relationship in Physical Activity and Mental Health. In A. Clow & S. Edmunds (Eds.), *Physical Activity and Mental Health* (pp. 65–81). Champaign, IL: Human Kinetics.
286. Hammond, J., Brodie, D., & Bundred, P. (1997) Exercise on prescription: guidelines for health professionals. *Health Promotions International*, 12, 33–41.
287. Hansson, S.O. (2006). Uncertainty and the ethics of clinical trials. *Theoretical Medicine & Bioethics*, 27, 149-167.
288. Happell B Davies C Scott D Health behaviour interventions to improve physical health in individuals diagnosed with a mental illness: a systematic review. *Int J Ment Health Nurs*. 2012; 21: 236-247
289. Harvey, S.B., Øverland S., Hatch, S.L., Wessely, S., Mykletun, A., & Hotopf, M. (2018). Exercise and the prevention of depression: Results of the HUNT cohort study. *American Journal of Psychiatry*, 175(1), 28-36.
290. Haskell, W.L., Lee, I.M., Pate, R.R., Powell, K.E., Blair, S.N., Franklin, B.A., ... Bauman, A. (2007). *Physical Activity and Public Health: Updated Recommendation for Adults from the American College*

- of Sports Medicine and the American Heart Association. *Circulation*, 116, 1081-1093.
Doi:10.1161/CIRCULATION. 107.185649
291. Hassmén, P., Koivula, N., & Uutela, A. (2000). Physical exercise and psychological well-being: A population study in Finland. *Preventive Medicine*, 30(1), 17-25.
292. Health and Consumer Protection Directorate General (2004). *The State of Mental Health in European Union*. European Commission.
293. Heckman, J. (2015). Four big benefits of investing in early childhood development. <http://heckman-equation.org/content/resource/4-big-benefits-investing-earlychildhood-development>
294. Heesch, K.C., Burton, N.W., & Brown, W.J. (2011). Concurrent and prospective associations between physical activity, walking and mental health in older women. *Journal of Epidemiology and Community Health*, 65, 807-813.
295. Heeyoung Lee, Jung-Ah Lee, Jaspreet S. Brar, Elizabeth B. Rush, Christina J. Jolley, Physical activity and depressive symptoms in older adults, *Geriatric Nursing*, 10.1016/j.gerinurse.2013.09.005, 35, 1, (37-41), (2014).
296. Heim, E., Maercker, A., & Boer, D. (2019). Value Orientations and Mental Health: A Theoretical Review. Research Article <https://doi.org/10.1177/1363461519832472>
297. Heissel A, Zech P, Rapp MA, et al. Effects of exercise on depression and anxiety in persons living with HIV: A meta-analysis. *Journal of Psychosomatic Research*. 2019 Sep 2:109823.
298. Herman, K.M., Hopman, W.M., & Sabiston, C.M. (2015). Physical activity, screen time and self-rated health and mental health in Canadian adolescents. *Preventive Medicine*, 73, 112-116.
299. Hermes E Nasrallah H Davis V et al. The association between weight change and symptom reduction in the CATIE schizophrenia trial. *Schizophr Res*. 2011; 128: 166-170
300. Herring, M.P. (2018). Exercise for the management of anxiety and stress-related disorders. In B. Stubbs & S. Rosenbaum (Eds.), *Exercise-based interventions for mental illness* (pp. 19-52). Academic Press.
301. Herring, M.P., Jacob, M.L., Suveg, C., Dishman, R.K., & O'Connor, P.J. (2012). Feasibility of exercise training for the short-term treatment of generalized anxiety disorder: A randomized controlled trial. *Psychotherapy and Psychosomatics*, 81, 21-28.
302. Herring, M.P., O'Connor, P.J., & Dishman, R.K. (2010). The effect of exercise training on anxiety symptoms among patients: A systematic review. *Archives of Internal Medicine*, 170(4), 321-331. doi:10.1001/archinternmed.2009.530
303. Hess, N.C., Dieberg, G., McFarlane, J.R., & Smart, N.A. (2014). The effect of exercise intervention on cognitive performance in persons at risk of, or with, dementia: A systematic review and meta-analysis. *Healthy Aging Research*, 3(3), 1-10. Retrieved from www.scopus.com
304. Heyman E Gamelin F-X Goekint M et al. Intense exercise increases circulating endocannabinoid and BDNF levels in humans—possible implications for reward and depression. *Psychoneuroendocrinology*. 2012; 37: 844-851 DOI:[https://doi.org/10.1016/S2215-0366\(18\)30343-2](https://doi.org/10.1016/S2215-0366(18)30343-2)
305. Hillman, C.H., Kramer, A.F., Belopolsky, A.V., & Smith, D.P. (2006). A cross-sectional examination of age and physical activity on performance and event-related brain potentials in a task-switching paradigm. *International Journal of Psychophysiology*, 59(1), 30-39. doi:10.1016/j.ijpsycho.2005.04.009
306. Hjorth P Davidsen AS Kilian R Skrubbeltrang C A systematic review of controlled interventions to reduce overweight and obesity in people with schizophrenia. *Acta Psychiatr Scand*. 2014; 130: 279-289
307. Hoare E Milton K Foster C Allender S The associations between sedentary behaviour and mental health among adolescents: a systematic review. *Int J Behav Nutr Phys Act*. 2016; 13: 108
308. Hoare E, Milton K, Foster C, Allender S. The associations between sedentary behaviour and mental health among adolescents: a systematic review. *Int J Behav Nutr Phys Act*. 2016;13(1):108.

309. Hodgson, M.H., McCulloch, H.P., & Fox, K.R. (2011). The experiences of people with severe and enduring mental illness engaged in a physical activity programme integrated into the mental health service. *Mental Health and Physical Activity*, 4, 23-29.
310. Holley, J., Crone, D., Tyson, P., & Lovell, G. (2011). The effects of physical activity on psychological well-being for those with schizophrenia: A systematic review. *British Journal of Clinical Psychology*, 50, 84-105.
311. Hollingshead AB. The two-factor index of social position. New Haven : Privately published, 1957.
312. Hötting K, Röder B. Beneficial effects of physical exercise on neuroplasticity and cognition. *Neuroscience Biobehavioral Reviews* 37:2243-57, 2013
313. Howard L, Hoffbrand S, Henshaw C, Boath L, Bradley E. Antidepressant prevention of postnatal depression. *Cochrane Database Syst Rev.* 2005;(2): CD004363.
314. Howell EA, Mora P, Leventhal H. Correlates of early postpartum depressive symptoms. *Matern Child Health J.* 2006; 10: 149– 57.
315. Howes OD Bhatnagar A Gaughran FP Amiel SA Murray RM Pilowsky LS A prospective study of impairment in glucose control caused by clozapine without changes in insulin resistance. *Am J Psychiat.* 2004; 161: 361-363
316. Huan-Cheng Chang, Jersey Liang, Hui-Chuan Hsu, Sung-Kai Lin, Ting-Huan Chang, Shu-Hui Liu, Regular exercise and the trajectory of health-related quality of life among Taiwanese adults: a cohort study analysis 2006–2014, *BMC Public Health*, 10.1186/s12889-019-7662-8, 19, 1, (2019).
317. Huhn M Nikolakopoulou A Schneider-Thoma J et al. Comparative efficacy and tolerability of 32 oral antipsychotics for the acute treatment of adults with multi-episode schizophrenia: a systematic review and network meta-analysis. *Lancet.* 2019; 394: 939-951
318. Ingrid Djukanović, Jörg Carlsson, Ulla Peterson, Group discussions with structured reminiscence and a problem-based method as an intervention to prevent depressive symptoms in older people, *Journal of Clinical Nursing*, 10.1111/jocn.13110, 25, 7-8, (992-1000), (2016).
319. International Psychogeriatrics, 27(6), 927-936. doi:10.1017/S1041610214002804 Bratland-Sanda, J.H., Rosenvinge, J.H., Vrabel, K.A.R., Norring, C., Sundgot-Borgen, J., & Rø, Ø.,
320. Irina I. Oltean, Mark A. Ferro, Agreement of child and parent-proxy reported health-related quality of life in children with mental disorder, *Quality of Life Research*, 10.1007/s11136-018-2026-x, (2018).
321. István Tóth-Király, Alexandre J.S. Morin, Katariina Salmela-Aro, Reciprocal Associations between Burnout and Depression: An 8-Year Longitudinal Study, *Applied Psychology*, 10.1111/apps.12295, 70, 4, (1691-1727), (2021).
322. Ivan D Escobar-Roldan 1 , Michael A Babyak, James A Blumenthal Exercise Prescription Practices to Improve Mental Health DOI: 10.1097/PRA.0000000000000554
323. Jacob, C. M., Baird, J., Barker, M., Cooper, C., & Hanson, M. (2017). The importance of a life course approach to health: Chronic disease risk from preconception through adolescence and adulthood (p. 41). World Health Organization.
324. Jan Knapen, Davy Vancampfort, Yves Moriën, Yannick Marchal, Exercise therapy improves both mental and physical health in patients with major depression, 2014
<https://doi.org/10.3109/09638288.2014.972579>
325. Janney CA, Brzoznowski KF, Richardson CR, et al. Moving towards wellness: physical activity practices, perspectives, and preferences of users of outpatient mental health service. *Gen Hosp Psychiatry.* 2017;49:63–66.
326. Janney, C.A., Fagiolini, A., Swartz, H.A., Jakicic, J.M., Holleman, R.G., & Richardson, C.R. (2014). Are adults with bipolar disorder active? Objectively measured physical activity and sedentary behavior using accelerometry. *Journal of Affective Disorders*, 152-154, 498–504.
327. Janney, C.A., Fagiolini, A., Swartz, H.A., Jakicic, J.M., Holleman, R.G., & Richardson, C.R. (2014). Are adults with bipolar disorder active? Objectively measured physical activity and sedentary behavior using accelerometry. *Journal of Affective Disorders*, 152, 498–504. 10.1016/j.jad.2013.09.009

328. Janssen I, Leblanc AG. Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. *Int J Behav Nutr Phys Act.* 2010;7:40.
329. Jayakody, K., Gunadasa, S., & Hosker, C. (2014). Exercise for anxiety disorders: Systematic review.
330. Jean M. Lamont, The Relationship of Mindfulness to Body Shame, Body Responsiveness, and Health Outcomes, *Mindfulness*, 10.1007/s12671-018-1020-2, 10, 4, (639-649), (2018).
331. Jean M. Lamont, Trait body shame predicts health outcomes in college women: A longitudinal investigation, *Journal of Behavioral Medicine*, 10.1007/s10865-015-9659-9, 38, 6, (998-1008), (2015).
332. Jean-Baptiste M Tek C Liskov E et al. A pilot study of a weight management program with food provision in schizophrenia. *Schizophr Res.* 2007; 96: 198-205
333. Jeng-Liang Eric Hwang, Construct Validation of the Health Enhancement Lifestyle Profile (HELP) with Quality of Life among Community-Dwelling Older Adults, *Physical & Occupational Therapy In Geriatrics*, 10.3109/02703181003637559, 28, 2, (117-130), (2010).
334. Jengliang Eric Hwang, Reliability and Validity of the Health Enhancement Lifestyle Profile (HELP), OTJR: Occupation, Participation and Health, 10.3928/15394492-20091225-01, 30, 4, (158-168), (2009).
335. Jengliang Eric Hwang, Validity of the Health Enhancement Lifestyle Profile—Screening (HELP-Screening), OTJR: Occupation, Participation and Health, 10.3928/15394492-20120217-01, 32, 4, (135-141), (2012).
336. Jennifer L. Ersek, Larissa R. Brunner Huber, Physical Activity Prior to and During Pregnancy and Risk of Postpartum Depressive Symptoms 2009 <https://doi.org/10.1111/j.1552-6909.2009.01050.x>
337. Jennifer L. Moss, Siddhartha Roy, Karl T. Clebak, Julie Radico, Jarrett Sell, Christina Scartozzi, Shuai Zhou, Guangqing Chi, Tamara Oser, Area- and Individual-Level Correlates of Self-Rated Health: Implications for Geographic Health Disparities, *Journal of Primary Care & Community Health*, 10.1177/21501327211039715, 12, (215013272110397), (2021).
338. Jennifer Stone, Katie Skibiski, Sarah Hwang, Courtney Barnes, Physical Therapy in Addition to Standard of Care Improves Patient Satisfaction and Recovery Post-cesarean Section, *Journal of Women's Health Physical Therapy*, 10.1097/JWH.000000000000187, 45, 1, (10-19), (2020).
339. Jerome, G.J., Young, D.R., Dalcin, A., Charleston, J., Anthony, C., Hayes, J., & Daumit, G.L. (2009). Physical activity levels of persons with mental illness attending psychiatric rehabilitation programs. *Schizophrenia Research*, 108(1-3), 252-257.
340. Jerstad SJ Boutelle KN Ness KK Stice E Prospective reciprocal relations between physical activity and depression in female adolescents. *J Consult Clin Psychol.* 2010; 78: 268-272
341. Jill Thein-Nissenbaum, The postpartum triathlete, *Physical Therapy in Sport*, 10.1016/j.ptsp.2016.07.006, 21, (95-106), (2016).
342. Jin-Lei Zhao, Wan-Ting Jiang, Xing Wang, Zhi-Dong Cai, Zu-Hong Liu, Guo-Rong Liu, Exercise, brain plasticity, and depression, *CNS Neuroscience & Therapeutics*, 10.1111/cns.13385, 26, 9, (885-895), (2020).
343. Jin-Won Noh, Yoosoo Chang, Minsun Park, Young Dae Kwon, Seungho Ryu, Self-rated health and the risk of incident type 2 diabetes mellitus: A cohort study, *Scientific Reports*, 10.1038/s41598-019-40090-y, 9, 1, (2019).
344. Joan K. Monin, Baibing Chen, Sarah T. Stahl, Dyadic Associations Between Physical Activity and Depressive Symptoms in Older Adults with Musculoskeletal Conditions and Their Spouses 2014 <https://doi.org/10.1002/smi.2603>
345. Joelle C. Ruthig, Bridget L. Hanson, Heather Pedersen, Alyssa Weber, Judith G. Chipperfield, Later life health optimism, pessimism and realism: Psychosocial contributors and health correlates, *Psychology & Health*, 10.1080/08870446.2010.506574, 26, 7, (835-853), (2011).
346. Johnson, M., Day, M., Moholkar, R., Gilluley, P., & Goyder, E. (2018). Tackling obesity in mental health secure units: A mixed method synthesis of available evidence. *BJPsych Open*, 4(4), 294– 301.
347. Jon J Pfaff, Brian M Draper, Jane E Pirkis, Nigel P Stocks, John A Snowdon, Moira G Sim, Gerard J Byrne, Nicola T Lautenschlager, Leon A Flicker, Ngaire M Kerse, Robert D Goldney, Osvaldo P Almeida,

- Medical morbidity and severity of depression in a large primary care sample of older Australians: the DEPS-GP project, *Medical Journal of Australia*, 10.5694/j.1326-5377.2009.tb02475.x, 190, S7, (S75-S80), (2009).
348. Jorm AF, Korten AE, Jacomb PA et al. Helpfulness of interventions for mental disorders: beliefs of health professionals compared with the general public. *Br J Psychiatry*. 1997; 171: 233-237
349. Josefsson, T., Lindwall, M., & Archer, T. (2014). Physical exercise intervention in depressive disorders: meta-analysis and systematic review. *Scandinavian Journal of Medicine and Science in Sports*, 24(2), 259–272.
350. Joseph W. Jones, Thomas Ledermann, Elizabeth B. Fauth, Self-rated health and depressive symptoms in older adults: A growth mixture modeling approach, *Archives of Gerontology and Geriatrics*, 10.1016/j.archger.2018.08.012, 79, (137-144), (2018).
351. Josh Allen, Lisa E. Kalynchuk, Hector J. Caruncho, Mitochondrial dysfunction and affective disorders: Focus on diet, exercise, and aging, *Mitochondrial Dysfunction and Nanotherapeutics*, 10.1016/B978-0-323-85666-9.00017-6, (3-34), (2021).
352. *Journal of Research on Adolescence*, 11(1), 119–130.
353. Judith M. Mitchell, Rodney H. Adkins, Five-Year Changes in Self-rated Health and Associated Factors for People Aging With Versus Without Spinal Cord Injury, *Topics in Spinal Cord Injury Rehabilitation*, 10.1310/sci1503-021, 15, 3, (21-33), (2010).
354. Julien Delrieu, Pierre Payoux, Isabelle Carrié, Christelle Cantet, Michael Weiner, Bruno Vellas, Sandrine Andrieu, Multidomain intervention and/or omega-3 in nondemented elderly subjects according to amyloid status, *Alzheimer's & Dementia*, 10.1016/j.jalz.2019.07.008, 15, 11, (1392-1401), (2019).
355. K. B. Casaletto, A. M. Staffaroni, A. Wolf, B. Appleby, D. Brushaber, G. Coppola, B. Dickerson, K. Domoto-Reilly, F. M. Elahi, J. Fields, J. C. Fong, L. Forsberg, N. Ghoshal, N. Graff-Radford, M. Grossman, H. W. Heuer, G.-Y. Hsiung, E. D. Huey, D. Irwin, K. Kantarci, D. Kaufer, D. Kerwin, D. Knopman, J. Kornak, J. H. Kramer, I. Litvan, I. R. Mackenzie, M. Mendez, B. Miller, R. Rademakers, E. M. Ramos, K. Rascofsky, E. D. Roberson, J. A. Syrjanen, M. C. Tartaglia, S. Weintraub, B. Boeve, A. L. Boxer, H. Rosen, K. Yaffe, Active lifestyles moderate clinical outcomes in autosomal dominant frontotemporal degeneration, *Alzheimer's & Dementia*, 10.1002/alz.12001, 16, 1, (91-105), (2020).
356. Kaar SJ, Natesan S, McCutcheon R, Howes OD. Antipsychotics: mechanisms underlying clinical response and side-effects and novel treatment approaches based on pathophysiology. *Neuropharmacology*. 2019; (published online July 8.) DOI:10.1016/j.neuropharm.2019.107704
357. Kahn, E.B., Ramsey, L.T., Brownson, R.C., Heath, G.W., Howze, E.H., Powell, K.E., ... & Corso,
358. Kahneman, D., Diener, E., & Schwarz, N. (Eds.). (1999). *Well-being: The foundations of hedonic psychology*. New York, NY, US: Russell Sage Foundation.
359. Kalarchian MA, Marcus MD, Levine MD et al. Behavioral treatment of obesity in patients taking antipsychotic medications. *J Clin Psychiatry*. 2005; 66: 1058-1063
360. Kallings LV, editor. FaR® -Individuans passad skriftlig ordination av fysisk aktivitet [FaR® -Individually Adapted, Written Prescription of Physical Activity] (In Swedish with an English summary). R 2011:30. Swedish National Institute of Public Health; 2011.
361. Kallings LV, Leijon M, Hellenius ML, Stahle A. Physical activity on prescription in primary health care: a follow-up of physical activity level and quality of life. *Scand J Med Sci Sports*. 2008; 18:154-61.
362. Kallings LV, Leijon ME, Kowalski J, et al. Self-reported adherence: a method for evaluating prescribed physical activity in primary health care patients. *J Phys Act Health*. 2009;6:483–492.
363. Kallings LV, Leijon ME, Kowalski J, Hellenius ML, Stahle A. Self-Reported Adherence: A Method for Evaluating Prescribed Physical Activity in Primary Health Care Patients. *J Phys Act Health*. 2009; 6:483-92.
364. Kallings LV, Sierra Johnson J, Fisher RM, et al. Beneficial effects of individualized physical activity on prescription on body composition and cardiometabolic risk factors: results from a randomized controlled trial. *Eur J Cardiovasc Prev Rehabil*. 2009; 16:80-4.

365. Kallings LV. Fysisk aktivitet på recept – en underutnyttjad resurs [Need for better implementation of physical activity on prescription]. (In Swedish with an English summary). *Läkartidningen* 2012; 109:2348-50.
366. Kallings LV. Physical Activity on Prescription -Studies on physical activity level, adherence and cardiovascular risk factors. Doctoral Thesis. Stockholm: Karolinska Institutet; 2008.
367. Kandola A Ashdown-Franks G Hendrikse J Sabiston CM Stubbs B Physical activity and depression: towards understanding the antidepressant mechanisms of physical activity. *Neurosci Biobehav Rev.* 2019; 107: 525-539
368. Kari Bø, Raul Artal, Ruben Barakat, Wendy J Brown, Gregory A L Davies, Michael Dooley, Kelly R Evenson, Lene A H Haakstad, Bengt Kayser, Tarja I Kinnunen, Karin Larsen, Michelle F Mottola, Ingrid Nygaard, Mireille van Poppel, Britt Stuge, Karim M Khan, Exercise and pregnancy in recreational and elite athletes: 2016/2017 evidence summary from the IOC expert group meeting, Lausanne. Part 5. Recommendations for health professionals and active women, *British Journal of Sports Medicine*, 10.1136/bjsports-2018-099351, 52, 17, (1080-1085), (2018).
369. Kari Bø, Raul Artal, Ruben Barakat, Wendy J Brown, Gregory A L Davies, Michael Dooley, Kelly R Evenson, Lene A H Haakstad, Bengt Kayser, Tarja I Kinnunen, Karin Larsén, Michelle F Mottola, Ingrid Nygaard, Mireille van Poppel, Britt Stuge, Karim M Khan, Exercise and pregnancy in recreational and elite athletes: 2016/17 evidence summary from the IOC Expert Group Meeting, Lausanne. Part 3— exercise in the postpartum period, *British Journal of Sports Medicine*, 10.1136/bjsports-2017-097964, 51, 21, (1516-1525), (2017).
370. Kassia S. Beetham, Courtney Giles, Michael Noetel, Vicki Clifton, Jacqueline C. Jones, Geraldine Naughton, The effects of vigorous intensity exercise in the third trimester of pregnancy: a systematic review and meta-analysis, *BMC Pregnancy and Childbirth*, 10.1186/s12884-019-2441-1, 19, 1, (2019).
371. Kathrin Haßdenteufel, Manuel Feißt, Katharina Brusniak, Katrin Lingenfelder, Lina Maria Matthies, Markus Wallwiener, Stephanie Wallwiener, Reduction in physical activity significantly increases depression and anxiety in the perinatal period: a longitudinal study based on a self-report digital assessment tool, *Archives of Gynecology and Obstetrics*, 10.1007/s00404-020-05570-x, (2020).
372. Katrien De Cocker PhD, Stuart J. H. Biddle PhD, Megan J. Teychenne PhD, Jason A. Bennie PhD, Is all activity equal? Associations between different domains of physical activity and depressive symptom severity among 261,121 European adults, 2021 <https://doi.org/10.1002/da.23157>
373. Keadle SK, Conroy DE, Buman MP, Dunstan DW, Matthews CE. Targeting reductions in sitting time to increase physical activity and improve health. *Med Sci Sports Exerc.* 2017;49:1572–82.
374. Kelsey Campolong, Sarah Jenkins, Matthew M. Clark, Kristi Borowski, Nancy Nelson, Katherine M. Moore, William V. Bobo, The association of exercise during pregnancy with trimester-specific and postpartum quality of life and depressive symptoms in a cohort of healthy pregnant women, *Archives of Women's Mental Health*, 10.1007/s00737-017-0783-0, (2017).
375. Keyes, C.L.M., Shmotkin, D., & Ryff, C.D. (2002). Optimizing well-being: The empirical encounter of two traditions. *Journal of Personality and Social Psychology*, 82, 1007-1022.
376. Khandaker GM Pearson RM Zammit S Lewis G Jones PB Association of serum interleukin 6 and C-reactive protein in childhood with depression and psychosis in young adult life: a population-based longitudinal study. *JAMA Psychiatry.* 2014; 71: 1121-1128
377. Khazaal Y Fresard E Rabia S et al. Cognitive behavioural therapy for weight gain associated with antipsychotic drugs. *Schizophr Res.* 2007; 91: 169-177
378. Kim, Soo-Young, sujie chang, The Effects of Socioeconomic Deprivation on Health Status in the elderly: Focusing on the Mediating Role of Depression, *Health and Social Welfare Review*, 10.15709/hswr.2018.38.1.88, 38, 1, (88-124), (2018).
379. Kindi, R. (2018). Addressing Stigma in Local Authorities Through Sports. In 12 Policy Papers on the connection of mental health with sport & physical exercise. Mental European Network of Sports (p. 87-95). Retrieved from <https://mensproject.eu/wp-content/uploads/2018/06/policy-papers-1-en-web.pdf>

380. Kirsten Waya Lee Kannis-Dymanda Michele Lastella Geoff P. Lovella Mental health practitioners' reported barriers to prescription of exercise for mental health consumers
<https://doi.org/10.1016/j.mhpa.2018.01.001>
381. Kleemann, E., Bracht, C. G., Stanton, R., & Schuch, F. B. (2020). Exercise prescription for people with mental illness: An evaluation of mental health professionals' knowledge, beliefs, barriers, and behaviors. *Brazilian Journal of Psychiatry*, 42(3), 271–277.
382. Ko Ling Chan, Mengtong Chen, The Effects of Social Media and Mobile Health Apps for Pregnancy Care: A Meta-analysis (Preprint), *JMIR mHealth and uHealth*, 10.2196/11836, (2018).
383. Kohl, H.W., Craig, C.L., Lambert, E.V., Inoue, S., Alkandari, J.R., Leetongin, G., ... & Lancet Physical Activity Series Working Group (2012). The pandemic of physical inactivity: global action for public health. *The Lancet*, 380(9838), 294-305.
384. Kołomańska-Bogucka, Mazur-Biały, Physical Activity and the Occurrence of Postnatal Depression—A Systematic Review, *Medicina*, 10.3390/medicina55090560, 55, 9, (560), (2019).
385. KRISTIAN M. SONGØYGARD, SIGNE N. STAFNE, KARI ANNE I. EVENSEN, KJELL Å. SALVESEN, TORSTEIN VIK, SIV MØRKKVED, Does exercise during pregnancy prevent postnatal depression? 2011
<https://doi.org/10.1111/j.1600-0412.2011.01262.x>
386. Kristina M. Deligiannidis, Marlene P. Freeman, Complementary and alternative medicine therapies for perinatal depression, *Best Practice & Research Clinical Obstetrics & Gynaecology*, 10.1016/j.bpobgyn.2013.08.007, 28, 1, (85-95), (2014).
387. Krogh, J., Hjorthøj, C., Speyer, H., Gluud, C., & Nordentoft, M. (2017). Exercise for patients with major depression: A systematic review with meta-analysis and trial sequential analysis. *British Medical Journal Open* 7, e014820.
388. Krogh, J., Nordentoft, M., Sterne, J., & Lawlor, D. (2011). The effect of exercise in clinically depressed: Systematic review and meta-analysis of randomized controlled trials. *Journal of Clinical Psychiatry* 72(4), 529–538.
389. Kucyi, A., Alsuwaidan, M.T., Liauw, S.S., & McIntyre, R.S. (2010). Aerobic physical exercise as a possible treatment for neurocognitive dysfunction in bipolar disorder. *Postgraduate Medicine*, 122(6), 107-116.
390. Kuo ES Vander Stoep A Stewart DG Using the short mood and feelings questionnaire to detect depression in detained adolescents. *Assessment*. 2005; 12: 374-383
391. Kyriacou, E., & Pavlakis, A. (2011). The eating habits of young people in Cyprus - the importance of nutrition in health: Views of freshmen Cypriot students. Retrieved from <https://kypseli.ouc.ac.cy/handle/11128/89>
392. L.P. Shulman, Does exercise during pregnancy prevent postnatal depression?, *Yearbook of Obstetrics, Gynecology and Women's Health*, 10.1016/j.yobg.2012.06.030, 2012, (184-185), (2012).
393. La salute mentale nelle varie fasi della vita, report ISTAT (2015-2017), www.istat.it
394. Lamb, S.E., Sheehan, B., Atherton, N., Nichols, V., Collins, H., Mistry, D., & Lall, R. (2018). Dementia And Physical Activity (DAPA) trial of moderate to high intensity exercise training for people with dementia: Randomised controlled trial. *British Medical Journal*, 361, k1675. <https://doi.org/10.1136/bmj.k1675>
395. Landers, D.E., & Alderman, B. (2007). Exercise relative to other treatments for reduction of anxiety/depression: Overcoming the principle of least effort. In T. Morris, P. Terry & S. Gordon (Eds.), *Sport and Exercise Psychology: International Perspectives*. Morgantown, WV: Fitness Information Technology.
396. Landers, D.M., & Arent, S.M. (2001). Physical activity and mental health. In R.N. Singer, H.A. Hausenblas, & C.M. Janelle (Eds.), *Handbook of sport psychology* (2nd ed., pp. 740-765). New York: John Wiley and Sons.
397. Landers, Daniel M. Arent, Shawn M. Chapter Database: APA PsycInfo Physical activity and mental health. 2007

398. Lars Rödger, Ingibjörg H. Jonsdottir & Mats Börjesson (2016) Physical activity on prescription (PAP): self-reported physical activity and quality of life in a Swedish primary care population, 2-year follow-up, *Scandinavian*
399. Larson, E.B., Wang, L., Bowen, J.D., McCormick, W.C., Teri, L., Crane, P., & Kukull, W. (2006). Exercise is associated with reduced risk for incident dementia among persons 65 years of age and older. *Annals of Internal Medicine*, 144, 73–81.
400. Laursen TM Munk-Olsen T Vestergaard M Life expectancy and cardiovascular mortality in persons with schizophrenia. *Curr Opin Psychiatry*. 2012; 25: 83-88
401. Laver, K., Dyer, S., Whitehead, C., Clemson, L., & Crotty, M. (2016). Interventions to delay functional decline in people with dementia: A systematic review of systematic reviews. *BMJ Open*, 6. e010767. doi: 10.1136/bmjopen-2015-010767.
402. Lawlor, D.A., & Hopker, S.W. (2001). The effectiveness of exercise as an intervention in the management of depression: Systematic review and meta-regression analysis of randomized controlled trials. *British Medical Journal*, 322(7289), 763–767.
403. Lawton, A., & Moghraby, O. S. (2016). Depression in children and young people: Identification and management in primary, community and secondary care (NICE guideline CG28). *Archives of Disease in Childhood—Education and Practice*, 101(4), 206– 209.
404. Leah A. Grande, Aviva K. Olsavsky, Andrew Erhart, Alexander J. Dufford, Rebekah Tribble, K. Luan Phan, Pilyoung Kim, Postpartum Stress and Neural Regulation of Emotion among First-Time Mothers, *Cognitive, Affective, & Behavioral Neuroscience*, 10.3758/s13415-021-00914-9, (2021).
405. Leah R. Abrams, Neil K. Mehta, Changes in depressive symptoms over age among older Americans: Differences by gender, race/ethnicity, education, and birth cohort, *SSM - Population Health*, 10.1016/j.ssmph.2019.100399, (100399), (2019).
406. Leas, L., & McCabe, M. (2007). Health behaviors among individuals with schizophrenia and depression. *Journal of Health Psychology*, 12, 563- 579.
407. Lee EH Hui CL Chang WC et al. Impact of physical activity on functioning of patients with first-episode psychosis—a 6 months prospective longitudinal study. *Schizophr Res*. 2013; 150: 538-541
408. Lee I-M Shiroma EJ Lobelo F Puska P Blair SN Katzmarzyk PT Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *Lancet*. 2012; 380: 219-229
409. Lee, I.M., Shiroma, E.J., Lobelo, F., Puska, P., Blair, S.N., Katzmarzyk, P.T., & Lancet Physical Activity Series Working Group (2012). Effect of physical inactivity on major non-communicable diseases worldwide: An analysis of burden of disease and life expectancy. *Lancet*, 380(9838), 219–229. doi:10.1016/S0140-6736(12)61031-9
410. Leijon M, Bendtsen P, Stahle A, Ekberg K, Festin K, Nilsen P. Factors associated with patients self-reported adherence to prescribed physical activity in routine primary health care. *BMC Family Practice*. 2010; 11:38.
411. Leijon ME, Bendtsen P, Nilsen P, Festin K, Ståhle A. Does a physical activity referral scheme improve the physical activity among routine primary health care patients? *Scand J Med Sci Sports*. 2009; 19:627-36.
412. Lena Kallings The Swedish approach on physical activity on prescription, 2016 Volume 6 | Supplement - HEPA
413. Lene Annette Hagen Haakstad, Nanna Voldner, Kari Bø, Stages of Change Model for Participation in Physical Activity during Pregnancy, *Journal of Pregnancy*, 10.1155/2013/193170, 2013, (1-7), (2013).
414. Lennart Raudsepp, Eva-Maria Riso, Longitudinal Association Between Objectively Measured Walking and Depressive Symptoms Among Estonian Older Adults, *Journal of Aging and Physical Activity*, 10.1123/japa.2016-0303, 25, 4, (639-645), (2017).
415. Leucht S Burkard T Henderson J Maj M Sartorius N Physical illness and schizophrenia: a review of the literature. *Acta Psychiatr Scand*. 2007; 116: 317-333

416. Leutwyler, H., Hubbard, E.M., Jeste, D.V., Miller, B., & Vinogradov, S. (2014). Associations of schizophrenia symptoms and neurocognition with physical activity in older adults with schizophrenia. *Biological Research for Nursing*, 16, 23–30.
417. Lewinsohn, P.M., Hops, H., Roberts, R.E., Seeley, J.R., & Andrews, J.A. (1993). Adolescent psychopathology: I. Prevalence and incidence of depression and other DSM-III-R disorders in high school students. *Journal of Abnormal Psychology*, 102, 133-144.
418. Lewis G Pelosi AJ Araya R Dunn G Measuring psychiatric disorder in the community: a standardized assessment for use by lay interviewers. *Psychol Med.* 1992; 22: 465-486 *Psychol Med.* 1992; 22: 465-486
419. Liangpunsakul, S., Crabb, D.W., & Qi, R. (2010). Relationship among alcohol intake, body fat, and physical activity: a population-based study. *Annals of Epidemiology*, 20(9), 670-675.
420. Lin TW, Kuo YM. Exercise benefits brain function: the monoamine connection. *Brain Science* 3:39-53, 2013
421. Lin, A., Wood, S.J., Nelson, B., Brewer, W.J., Spiliotacopoulos, D., Bruxner, A., ... Yung, A.R. (2011). Neurocognitive predictors of functional outcome two to 13years after identification as ultra-high risk for psychosis. *Schizophrenia Research*, 132(1), 1–7. <https://doi.org/10.1016>
422. Lin, E.H.B., Rutter, C.M., Katon, W., Heckbert, S.R., Ciechanowski, P., Oliver, M.M., & Von Korff,
423. Lin, J., Chan, S. K., Lee, E. H., Chang, W. C., Tse, M., Su, W. W., Sham, P., Hui, C. L., Joe, G., Chan, C. L., Khong, P. L., So, K. F., Honer, W. G., & Chen, E. Y. (2015). Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. *NPJ Schizophrenia*, 1(1), 1– 7.
424. Lin, S.L., Huang, C.Y., Shiu, S.P., and Yeh, S.H. (2015). Effects of Yoga on Stress, Stress Adaptation, and Heart Rate Variability Among Mental Health Professionals – A Randomized Controlled Trial. *Worldviews on Evidence-Based Nursing*, 12(4), 263-245.
425. Lina Meander, Maria Lindqvist, Ingrid Mogren, Jonas Sandlund, Christina E. West, Magnus Domellöf, Physical activity and sedentary time during pregnancy and associations with maternal and fetal health outcomes: an epidemiological study, *BMC Pregnancy and Childbirth*, 10.1186/s12884-021-03627-6, 21, 1, (2021).
426. Lindamer, L.A., McKibbin, C., Norman, G.J., Jordan, L., Harrison, K., Abeyesinhe, S., & Patrick, K. (2008). Assessment of physical activity in middle-aged and older adults with schizophrenia. *Schizophrenia Research*, 104(1-3), 294-301.
427. Lisa M. Christian, Jay Iams, Kyle Porter, Binnaz Leblebicioglu, Self-Rated Health among Pregnant Women: Associations with Objective Health Indicators, Psychological Functioning, and Serum Inflammatory Markers, *Annals of Behavioral Medicine*, 10.1007/s12160-013-9521-7, 46, 3, (295-309), (2013).
428. Littrell KH Hilligoss NM Kirshner CD Petty RG Johnson CG The effects of an educational intervention on antipsychotic-induced weight gain. *J Nurs Scholarsh.* 2003; 35: 237-241
429. Liu M Wu L Yao S Dose-response association of screen time-based sedentary behaviour in children and adolescents and depression: a meta-analysis of observational studies. *Br J Sports Med.* 2016; 50: 1252-1258
430. Liu, N. H., Daumit, G. L., Dua, T., Aquila, R., Charlson, F., Cuijpers, P., Druss, B., Dudek, K., Freeman, M., Fujii, C., Gaebel, W., Hegerl, U., Levav, I., Munk Laursen, T., Ma, H., Maj, M., Medina-Mora, M. E., Nordentoft, M., Prabhakaran, D., ... Saxena, S. (2017). Excess mortality in persons with severe mental disorders: A multilevel intervention framework and priorities for clinical practice, policy and research agendas. *World Psychiatry*, 16(1), 30– 40.
431. Livingston, G., Sommerlad, A., Orgeta, V., Costafreda, S.G., Huntley, J., Ames, D., ... Mukadam, N. (2017). Dementia prevention, intervention, and care. *The Lancet*, 390(10113), 2673-2734. [https://doi.org/10.1016/S0140-6736\(17\)31363-6](https://doi.org/10.1016/S0140-6736(17)31363-6)
432. Lmedina Jolene Jacquart Jasper AJSmits Optimizing the exercise prescription for depression: the search for biomarkers of response 2015 <https://doi.org/10.1016/j.copsyc.2015.02.003>

433. Loprinzi PD Objectively measured light and moderate-to-vigorous physical activity is associated with lower depression levels among older US adults. *Aging Ment Health*. 2013; 17: 801-805
434. LORETTA DIPIETRO, KELLY R. EVENSON, BONNY BLOODGOOD, KYLE SPROW, RICHARD P. TROIANO, KATRINA L. PIERCY, ALISON VAUX-BJERKE, KENNETH E. POWELL, Benefits of Physical Activity during Pregnancy and Postpartum, *Medicine & Science in Sports & Exercise*, 10.1249/MSS.0000000000001941, 51, 6, (1292-1302), (2019).
435. Lotte Broberg, Mie Gaarskjær De Wolff, Lise Anker, Peter Damm, Ann Tabor, Hanne Kristine Hegaard, Julie Midtgaard, Experiences of participation in supervised group exercise among pregnant women with depression or low psychological well-being: a qualitative descriptive study., *Midwifery*, 10.1016/j.midw.2020.102664, (102664), (2020).
436. Louise Mansfield, Leisure and health – critical commentary, *Annals of Leisure Research*, 10.1080/11745398.2020.1767664, (1-12), (2020).
437. Lovell K Wearden A Bradshaw T et al. An exploratory randomized controlled study of a healthy living intervention in early intervention services for psychosis: the INTERvention to encourage ACTivity, improve diet, and reduce weight gain (INTERACT) study. *J Clin Psychiatry*. 2014; 75: 498-505
438. Luyten, P., Blatt, S.J., Van Houdenhove, B., & Corveleyn, J. (2006). Depression research and treatment: are we skating to where the puck is going to be? *Clinical Psychological Review*, 26(8), 985–999.
439. Lynette L. Craft, Ph.D. and Frank M. Perna, Ed.D., Ph.D. The Benefits of Exercise for the Clinically Depressed doi: 10.4088/pcc.v06n0301
440. M. (2010). Depression and advanced complications of diabetes: A prospective cohort study. *Diabetes Care*, 33(2), 264-269. doi: 10.2337/dc09-1068
441. M. (2013b). A review of physical activity correlates in patients with bipolar disorder. *Journal of Affective Disorders*, 145, 285–291.
442. M. Belvederi Murri, M. Amore, M. Menchetti, G. Toni, F. Neviani, M. Cerri, M. B. L. Rocchi, D. Zocchi, L. Bagnoli, E. Tam, A. Buffa, S. Ferrara, M. Neri, G. S. Alexopoulos, S. Zanetidou and the Safety and Efficacy of Exercise for Depression in Seniors (SEEDS) Study Group: Physical exercise for late-life major depression, *The British Journal of Psychiatry* (2015) 207, 235–242. doi: 10.1192/bjp.bp.114.150516
443. M. P. Lawton (Eds.), *The psychology of adult development and aging* (pp. 311-335). Washington, DC, US: American Psychological Association.
444. M. Sulprizio, C. Velde, U. Korsten-Reck, R. Löw, V. Mechery, J. Kleinert, Effekte von Sport in und nach der Schwangerschaft, *Sport in der Schwangerschaft*, 10.1007/978-3-662-48760-0, (47-62), (2016).
445. M.T. (2007). The impact of resistance exercise on the cognitive function of the elderly. *Medicine and Science in Sports & Exercise*, 39(8), 1401–1407. <https://doi.org/10.1249/mss.0b013e318060111f>
446. Mackenzie, C.S., Gekoski, W.L., & Knox, V.J. (2006). Age, gender, and the underutilization of mental health services: the influence of help-seeking attitudes. *Aging and Mental Health*, 10(6), 574–582.
447. Maj, M. (2009). Physical health care in persons with severe mental illness: A public health and ethical priority. *World Psychiatry*, 8(1), 1– 2.
448. Mammen G Faulkner G Physical activity and the prevention of depression: a systematic review of prospective studies. *Am J Prev Med*. 2013; 45: 649-657
449. Mammen, G., & Faulkner, G. (2013). Physical activity and the prevention of depression: A systematic review of prospective studies. *American Journal of Preventive Medicine*, 45(5), 649-657.
450. Manami Ejiri, Hisashi Kawai, Takeshi Kera, Kazushige Ihara, Yoshinori Fujiwara, Yutaka Watanabe, Hirohiko Hirano, Hunkyung Kim, Shuichi Obuchi, Exercise as a coping strategy and its impact on the psychological well-being of Japanese community-dwelling older adults during the COVID-19 pandemic: A longitudinal study, *Psychology of Sport and Exercise*, 10.1016/j.psychsport.2021.102054, 57, (102054), (2021).
451. Manderscheid, R.W., Ryff, C.D., Freeman, E.J., McKnight-Eily, L.R., Dhingra, S., & Strine, T.W. (2010). Evolving definitions of mental illness and wellness. *Preventive Chronic Disease*, 7(1), A19. http://www.cdc.gov/pcd/issues/2010/jan/09_0124.htm.

452. Manu P, Dima L, Shulman M, Vancampfort D, De Hert M, Correll CU. Weight gain and obesity in schizophrenia: epidemiology, pathobiology, and management. *Acta Psychiatr Scand.* 2015; 132: 97-108
453. María José Aguilar-Cordero, Juan Carlos Sánchez-García, Raquel Rodríguez-Blanque, Antonio Manuel Sánchez-López, Norma Mur-Villar, Moderate Physical Activity in an Aquatic Environment During Pregnancy (SWEP Study) and Its Influence in Preventing Postpartum Depression, *Journal of the American Psychiatric Nurses Association*, 10.1177/1078390317753675, 25, 2, (112-121), (2018).
454. María Morales-Suárez-Varela, Eva Clemente-Bosch, Isabel Peraita-Costa, Agustín Llopis-Morales, Isabel Martínez, Agustín Llopis-González, Maternal Physical Activity During Pregnancy and the Effect on the Mother and Newborn: A Systematic Review, *Journal of Physical Activity and Health*, 10.1123/jpah.2019-0348, 18, 1, (130-147), (2021).
455. Marina Vargas-Terrones, Ruben Barakat, Belen Santacruz, Irene Fernandez-Buhigas, Michelle F Mottola, Physical exercise programme during pregnancy decreases perinatal depression risk: a randomised controlled trial, *British Journal of Sports Medicine*, 10.1136/bjsports-2017-098926, 53, 6, (348-353), (2018).
456. Mark A. Moyad, Franklin C. Lowe, Educating Patients About Lifestyle Modifications for Prostate Health, *The American Journal of Medicine*, 10.1016/j.amjmed.2008.05.025, 121, 8, (S34-S42), (2008).
457. Markus Hübscher, Jan Hartvigsen, Matthew Fernandez, Kaare Christensen, Paulo Ferreira, Does physical activity moderate the relationship between depression symptomatology and low back pain? Cohort and co-twin control analyses nested in the longitudinal study of aging Danish twins (LSADT), *European Spine Journal*, 10.1007/s00586-015-4138-0, 25, 4, (1226-1233), (2015).
458. Marlies Feenstra, Barbara C van Munster, Janet L MacNeil Vroomen, Sophia E de Rooij, Nynke Smidt, Trajectories of self-rated health in an older general population and their determinants: the Lifelines Cohort Study, *BMJ Open*, 10.1136/bmjopen-2019-035012, 10, 2, (e035012), (2020).
459. Martha Acosta, Frailty in older persons, *A Comprehensive Guide to Geriatric Rehabilitation*, 10.1016/B978-0-7020-4588-2.00065-6, (464-474), (2014).
460. Martin Eriksson Crommert, Ida Flink, Catharina Gustavsson, Predictors of Disability Attributed to Symptoms of Increased Interrecti Distance in Women after Childbirth: An Observational Study, *Physical Therapy*, 10.1093/ptj/pzab064, 101, 6, (2021).
461. Martin R, Murtagh EM. Effect of active lessons on physical activity, academic, and health outcomes: A systematic review. *Res Q Exerc Sport.* 2017;88(2):149–68.
462. Martinez-Dominguez SJ, Lajusticia H, Chedraui P, Perez- Lopez FR. The effect of programmed exercise over anxiety symptoms in midlife and older women: a meta- analysis of randomized controlled trials. *Climacteric.* 2018;21(2):123–31.
463. Martino Belvederi Murri, Panteleimon Ekkekakis, Marco Magagnoli, Domenico Zampogna, Simone Cattedra, Laura Capobianco, Gianluca Serafini, Pietro Calcagno, Stamatula Zanetidou, Mario Amore, Physical Exercise in Major Depression: Reducing the Mortality Gap While Improving Clinical Outcomes, *Frontiers in Psychiatry*, 10.3389/fpsyt.2018.00762, 9, (2019).
464. Martinsen, E.W. (2009). Physical activity in treatment units for eating disorders: clinical
465. Marvin Lambertus, Linda Thøring Øverberg, Krister A. Andersson, Malin S. Hjelden, Alena Hadzic, Øyvind P. Haugen, Jon Storm-Mathisen, Linda Hildegard Bergersen, Samuel Geiseler, Cecilie Morland, L-lactate induces neurogenesis in the mouse ventricular-subventricular zone via the lactate receptor HCA1, *Acta Physiologica*, 10.1111/apha.13587, 231, 3, (2020).
466. Marzolini, S., Jensen, B., & Melville, P. (2009). Feasibility and effects of a group-based resistance and aerobic exercise program for individuals with severe schizophrenia: A multidisciplinary approach. *Mental Health and Physical Activity*, 2(1), 29-36.
467. Mason, O.J., & Holt, R. (2012). Mental health and physical activity interventions: A review of the qualitative literature. *Journal of Mental Health*, 3, 274-284.

468. Matthey S, Henshaw C, Elliott S, Barnett B. Variability in use of cut-off scores and formats on the Edinburgh Postnatal Depression Scale: implications for clinical and research practice. *Arch Womens Ment Health*. 2006; 9: 309–15.
469. May A Beydoun, Marie T Fanelli-Kuczmariski, Danielle Shaked, Greg A Dore, Hind A Beydoun, Ola S Rostant, Michele K Evans, Alan B Zonderman, Alternative Pathway Analyses Indicate Bidirectional Relations between Depressive Symptoms, Diet Quality, and Central Adiposity in a Sample of Urban US Adults, *The Journal of Nutrition*, 10.3945/jn.115.229054, 146, 6, (1241-1249), (2016).
470. Mayo Clinic (2017). Antidepressants: Get tips to cope with side effects. Mayo Foundation for Medical Education and Research (MFMER).
471. McGrath, J., Saha, S., Chant, D., & Welham, J. (2008). Schizophrenia: A concise overview of incidence, prevalence, and mortality. *Epidemiological Reviews*, 30, 67-76.
472. McKercher C Sanderson K Schmidt MD et al. Physical activity patterns and risk of depression in young adulthood: a 20-year cohort study since childhood. *Soc Psychiatry Psychiatr Epidemiol*. 2014; 49: 1823-1834
473. McMahon EM Corcoran P O'Regan G et al. Physical activity in European adolescents and associations with anxiety, depression and well-being. *Eur Child Adolesc Psychiatry*. 2017; 26: 111-122
474. Mead, G.E., Morley, W., Campbell, P., Greig, C.A., McMurdo, M., & Lawlor, D.A. (2008). Exercise for depression. *The Cochrane Database of Systematic Reviews*, 8(4), CD004366.
475. Medina, J., & García de León, M. (2004). Adverse events of antidepressants. *Vigilia-Sueno*, 16(S1), 48-57.
476. Medina, J.L., DeBoer, L.B., Davis, M.L., Rosenfield, D., Powers, M.B., Otto, M.W., & Smits, J.A. (2014). Gender moderates the effect of exercise on anxiety sensitivity. *Mental Health and Physical Activity*, 7(3), 147–151. doi: 10.1016/j.mhpa.2014.08.002
477. Megan Teychenne, Maria Apostolopoulos, Kylie Ball, Ellinor K. Olander, Rachelle S. Opie, Simon Rosenbaum, Rachel Laws, Key stakeholder perspectives on the development and real-world implementation of a home-based physical activity program for mothers at risk of postnatal depression: a qualitative study, *BMC Public Health*, 10.1186/s12889-021-10394-8, 21, 1, (2021).
478. Megan Teychenne, Rebecca York, Physical Activity, Sedentary Behavior, and Postnatal Depressive Symptoms, *American Journal of Preventive Medicine*, 10.1016/j.amepre.2013.04.004, 45, 2, (217-227), (2013).
479. Melaku Desta, Peter Memiah, Bekalu Kassie, Daniel Bekele Ketema, Haile Amha, Temesgen Getaneh, Mezinew Sintayehu, Postpartum depression and its association with intimate partner violence and inadequate social support in Ethiopia: a systematic review and meta-analysis, *Journal of Affective Disorders*, 10.1016/j.jad.2020.11.053, (2020).
480. Melinda Asztalos, Ilse De Bourdeaudhuij, Greet Cardon. 2010 The relationship between physical activity and mental health varies across activity intensity levels and dimensions of mental health among women and men doi.org/10.1017/S1368980009992825
481. Melo, M.C., Daher Eder, F., Albuquerque, S.G., & de Bruin, V.M. (2016). Exercise in bipolar patients: A systematic review. *Journal of Affective Disorders*, 198, 32-38.
482. Mencacci, C., & Migliarese, G. (2017). Quando tutto cambia. La salute psichica in adolescenza. Pacini Editore. ISBN 8869953157, 9788869953156
483. Merom, D., Phongsavan, P., Wagner, R., Chey, T., Marnane, C., Steel, Z., ... Bauman, A. (2008). Promoting walking as an adjunct intervention to group cognitive behavioural therapy for anxiety disorders – a pilot group randomized trial. *Journal of Anxiety Disorders*, 22, 959–968.
484. Metcalfe, A.W., MacIntosh, B.J., Scavone, A., Ou, X., Korczak, D., & Goldstein, B.I. (2016). Effects of acute aerobic exercise on neural correlates of attention and inhibition in adolescents with bipolar disorder. *Translational Psychiatry*, 6(5), e814. doi:10.1038/tp.2016.85
485. Mi Xiang, Zhiruo Zhang, Huigang Liang, Sedentary behavior relates to mental distress of pregnant women differently across trimesters: An observational study in China, *Journal of Affective Disorders*, 10.1016/j.jad.2019.08.086, (2019).

486. Michalak, E., Livingston, J., Hole, R., Suto, M., Hale, S., & Haddock, C. (2011). It's something that I manage but it is not who I am': reflections on internalized stigma in individuals with bipolar disorder. *Chronic Illness*, 7(3), 209–224. DOI: 10.1177/1742395310395959
487. Mine Kühn, Carlos Díaz-Venegas, Domantas Jasilionis, Anna Oksuzyan, Gender differences in health in Havana versus in Mexico City and in the US Hispanic population, *European Journal of Ageing*, 10.1007/s10433-020-00563-w, (2020).
488. Mitchell AJ Vancampfort D Sweers K van Winkel R Yu W De Hert M Prevalence of metabolic syndrome and metabolic abnormalities in schizophrenia and related disorders—a systematic review and meta-analysis. *Schizophr Bull.* 2013; 39: 306-318
489. Mitchell, J.E., & Crow, S. (2006). Medical implications of anorexia and bulimia. *Current Opinion in Psychiatry* 19, 438-443.
490. Moher D Liberati A Tetzlaff J Altman DG Grp P Simon V van Winkel R De Hert M Are weight gain and metabolic side effects of atypical antipsychotics dose dependent? A literature review. *J Clin Psychiatry.* 2009; 70: 1041-1050
491. Molanorouzi, K., Khoo, S., & Morris, T. (2014). Validating the Physical Activity and Leisure Motivation Scale (PALMS). *BMC Public Health*, 14, 909. doi:10.1186/1471-2458-14-909
492. Moor, M., & Beem, A.L., Stubbe, J., Boomsma, D., & Geus, E. (2006). Regular Exercise, Anxiety,
493. Moreau, N. Chanteau, O., Benoît, M., Dumas, M.-P., Laurin-Lamothe, A., Parlavecchio, L. et Lester, C., "Sports Activities in a Psychosocial Perspective: Preliminary Analysis of Adolescent Participation in Sports Challenges", *International Review for the Sociology of Sport*, 49(1), p. 85-101, February 2014. *International Review for the Sociology of Sport*
494. Morgan Young-Speirs, Caitlin Forbes, Michaela Patton, K. Brooke Russell, Mehak Stokoe, Kathleen Reynolds, Fiona Schulte, Perceived Health among Adolescent and Young Adult Survivors of Childhood Cancer, *Current Oncology*, 10.3390/currenol28010080, 28, 1, (825-836), (2021).
495. Morgan, D. L. (1993). Qualitative content analysis: A guide to paths not taken. *Qualitative Health Research*, 3(1), 112-121.
496. Morgan, W.P. (1981). Psychological benefits of physical activity. In F.J. Nagle & H.J. Montoye (Eds.), *Exercise in health and disease* (pp. 299-314). Springfield, IL: Charles C. Thomas.
497. Morres, Hatzigeorgiadis, A., Stathi, A., Comoutos, N., Arpin-Cribbie, C., Krommidas, C., & Theodorakis, Y. (2019). Aerobic exercise for adult patients with major depressive disorder in mental health services: A systematic review and meta-analysis. *Depression and Anxiety*, 36(1), 39-53. doi:10.1002/da.22842
498. Mota-Pereira, J., Silverio, J., Carvalho, S., Ribeiro, J.C., Fonte, D., & Ramos, J. (2011). Moderate exercise improves depression parameters in treatment resistant patients with major depressive disorder. *Journal of Psychiatric Research*, 45(8), 1005-1011.
499. Mottola MF, Davenport MH, Ruchat SM, Davies GA, Poitras VJ, Gray CE, et al. 2019 Canadian guideline for physical activity throughout pregnancy. *Br J Sports Med.* 2018;52(21):1339–46.
500. MS Ellingsen, A Pettersen, SN Stafne, S Mørkved, KÅ Salvesen, KAI Evensen, Neurodevelopmental outcome in 7-year-old children is not affected by exercise during pregnancy: follow up of a multicentre randomised controlled trial, *BJOG: An International Journal of Obstetrics & Gynaecology*, 10.1111/1471-0528.16024, 127, 4, (508-517), (2019).
501. Mueser, K.T., Rosenberg, S.D., Fox, L., Salyers, M.P., Ford, J.D., & Carty, P. (2001). Psychometric evaluation of trauma and posttraumatic stress disorder assessments in persons with severe mental illness. *Psychological Assessment*, 13(1), 110–117. doi:10.1037/1040-3590.13.1.110
502. Murray, C.J., & Lopez, A.D. (1997). Global mortality, disability, and the contribution of risk factors: Global Burden of Disease Study. *Lancet*, 349, 1436–1442.
503. Mutrie, N., & Faulkner, G. (2003). Physical activity and mental health. In T. Everett, M. Donaghy, & S. Fever (Eds.), *Physiotherapy and occupational therapy in mental health: An evidence-based approach* (pp. 82-97). Oxford: Butterworth Heinemann.

504. Mutrie, N., & Parfitt, G. (1998). Physical activity and its link with mental, social, and moral health in young people. In S.J.H. Biddle, J.F. Sallis & N. Cavill (Eds.), *Young and active? Young people and health-enhancing physical activity: Evidence and implications*. London: Health Education Authority.
505. N. Paz Fernández, Y. González González, A. Alonso Calvete, I. Da Cuña Carrera, Efectos del ejercicio en la depresión durante el embarazo y el posparto. Una revisión sistemática, *Clínica e Investigación en Ginecología y Obstetricia*, 10.1016/j.gine.2021.100683, 48, 4, (100683), (2021).
506. Na Liu, Jie Wang, Dan-dan Chen, Wei-jia Sun, Ping Li, Wei Zhang, Effects of exercise on pregnancy and postpartum fatigue: A systematic review and meta-analysis, *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 10.1016/j.ejogrb.2020.08.013, 253, (285-295), (2020).
507. Nahathai Wongpakaran, Tinakon Wongpakaran, Peerasak Lertrakarnnon, Surin Jiraniramai, Thanitha Sirirak, Sawitri Assanangkornchai, Unchulee Tameyapradit, Nopporn Tantirangsee, Surang Lertkachatarn, Suwanna Arunpongpaisal, Pimolpun Kuntawong, Prevalence, Clinical and Psychosocial variables of Depression, Anxiety and Suicidality in Geriatric Tertiary Care settings, *Asian Journal of Psychiatry*, 10.1016/j.ajp.2018.10.007, (2018).
508. Nakamura A, van der Waerden J, Melchior M, Bolze C, El-Khoury F, Pryor L. Physical activity during pregnancy and postpartum depression: systematic review and meta-analysis. *J Affect Disord*. 2019;246:29–41.
509. Nasrallah HA, Newcomer JW, Risinger R et al. Effect of aripiprazole lauroxil on metabolic and endocrine profiles and related safety considerations among patients with acute schizophrenia. *J Clin Psychiatry*. 2016; 77: 1519-1525
510. Netta Bentur, Anthony David Heymann, Depressive symptoms and use of health services among older adults in Israel, *Israel Journal of Health Policy Research*, 10.1186/s13584-020-00374-5, 9, 1, (2020).
511. Neugarten, B.L. (1973). Personality change in late life: A developmental perspective. In C. Eisendorfer &
512. Neurobiological markers of exercise-related brain plasticity in older adults. *Brain, Behavior, and Immunity*, 28, 90–99.
513. Neviani F, Murri MB, Mussi C, Triolo F, Toni G, Simoncini E et al. Physical exercise for late life depression: Effects on cognition and disability. *Int Psychogeriatrics* 2017; 29: 1105–1112.
514. Ng F, Dodd S, Berk M. The effects of physical activity in the acute treatment of bipolar disorder: a pilot study. *J Affect Disord*. 2007;101:259–262.
515. NHS Digital. (2020). Mental health of children and young people in England, 2020: Wave 1 follow up to the 2017 Survey.
516. Nichelle Satterfield, Edward R. Newton, Linda E. May, Article Commentary: Activity in Pregnancy for Patients with a History of Preterm Birth, *Clinical Medicine Insights: Women's Health*, 10.4137/CMWH.S34684, 9s1, (CMWH.S34684), (2016).
517. Nicholls, A.R., Remco Polman, C.J., Levy, A.R., & Backhouse, S.H. (2009). Mental toughness in sport: achievement level, gender, age, experience, and sport type differences. *Official Journal of the International Society of the Study of Individual Differences (ISSID)*, 47(1), 73-75.
518. Nilam Shakeel, Kåre Rønn Richardsen, Egil W. Martinsen, Malin Eberhard-Gran, Kari Slinning, Anne Karen Jenum, Physical activity in pregnancy and postpartum depressive symptoms in a multiethnic cohort, *Journal of Affective Disorders*, 10.1016/j.jad.2018.04.081, 236, (93-100), (2018).
519. Nilam Shakeel, Kåre Rønn Richardsen, Egil W. Martinsen, Malin Eberhard-Gran, Kari Slinning, Anne Karen Jenum, Physical activity in pregnancy and postpartum depressive symptoms in a multiethnic cohort, *Journal of Affective Disorders*, 10.1016/j.jad.2018.04.081, 236, (93-100), (2018).
520. Nina Saunamäki, Maria Engström, Registered nurses' reflections on discussing sexuality with patients: responsibilities, doubts and fears, *Journal of Clinical Nursing*, 10.1111/jocn.12155, 23, 3-4, (531-540), (2013).
521. Nocon, M., Hiemann, T., Müller-Riemenschneider, F., Thalau, F., Roll, S., and Willich, S.N. (2008). Association of physical activity with all-cause and cardiovascular mortality: a systematic review and meta-analysis. *European Journal of Cardiovascular Prevention & Rehabilitation*, 15(3), 239-246.

522. Nordhagen IH, Sundgot-Borgen J. [Physical activity among pregnant women in relation to pregnancy-related complaints and symptoms of depression]. *Tidsskr Nor Laegeforen*. 2002; 122: 470– 4.
523. Norman E, Sherburn M, Osborne RH, Galea MP. An exercise and education program improves well-being of new mothers: a randomized controlled trial. *Phys Ther*. 2010; 90: 348– 55.
524. Nosrat S, Whitworth JW, Ciccolo JT. Exercise and mental health of people living with HIV: A systematic review. *Chronic Illness*. 2017 Dec;13(4):299-319.
525. O'Brien MW, Shields CA, Oh PI, et al. Health care provider confidence and exercise prescription practices of Exercise is Medicine Canada workshop attendees. *Appl Physiol Nutr Metab*. 2017;42:384–890.
526. Ogrodniczuk JS, Piper WE. Preventing postnatal depression: a review of research findings. *Harv Rev Psychiatry*. 2003; 11: 291– 307.
527. Ohayon MM, Caulet M, Philip P, Guilleminault C, Priest RG. How sleep and mental disorders are related to complaints of daytime sleepiness. *Arch Intern Med*. 1997; 157: 2645-2652
528. Okely AD, Ghersi D, Loughran SP, Cliff DP, Shilton T, Jones RA, et al. Australian 24-hour movement guidelines for children (5–12 years) and young people (13–17 years): An integration of physical activity, sedentary behaviour, and sleep – Research Report. Australian Government, Department of Health; 2019. Available at: <https://www1.health.gov.au/internet/main/publishing.nsf/Content/ti-5-17years> (accessed 18 October 2020).
529. Olsen, C.F., Telenius, E.W., Engedal, K., and Bergland, A. (2015). Increased self-efficacy: the experience of high-intensity exercise of nursing home residents with dementia - a qualitative study. *BMC Health Serv Res*. 2015 Sep 14;15:379. doi: 10.1186/s12913-015-1041-7.
530. Orla McBride, Paul Bebbington, Claudia Cooper, Could the lower prevalence of affective disorder in older people be due to measurement error? Reliability of the Revised Clinical Interview Schedule in younger and older adults, *Journal of Affective Disorders*, 10.1016/j.jad.2012.12.016, 148, 2-3, (310-315), (2013).
531. Othelia Eun-Kyoung Lee, Jungui Lee, Factors Associated With Productive Engagement Among Older South Koreans, *Journal of Social Service Research*, 10.1080/01488376.2014.894369, 40, 4, (454-467), (2014).
532. P. (2002). The effectiveness of interventions to increase physical activity: A systematic review. *American Journal of Preventative Medicine*, 22, 73-107.
533. P. CALLAGHAN Exercise: a neglected intervention in mental health care? <https://doi.org/10.1111/j.1365-2850.2004.00751.x>
534. P. Gudmundsson, M. Lindwall, D. R. Gustafson, S. Östling, T. Hällström, M. Waern, I. Skoog, Longitudinal associations between physical activity and depression scores in Swedish women followed 32 years, *Acta Psychiatrica Scandinavica*, 10.1111/acps.12419, 132, 6, (451-458), (2015).
535. Pahor, M., Blair, S.N., Espeland, M., Fielding, R., Gill, T.M., & Guralnik, J.M. (2006). Effects of a physical activity intervention on measures of physical performance: Results of the lifestyle interventions and independence for Elders Pilot (LIFE-P) study. *Journal of Gerontology, A Biological Sciences and Medical Sciences*, 61(11), 1157-1165.
536. Paige van der Pligt, Ellinor K Olander, Kylie Ball, David Crawford, Kylie D Hesketh, Megan Teychenne, Karen Campbell, Maternal dietary intake and physical activity habits during the postpartum period: associations with clinician advice in a sample of Australian first time mothers, *BMC Pregnancy and Childbirth*, 10.1186/s12884-016-0812-4, 16, 1, (2016).
537. Pajonk, F., Wobrock, T., Gruber, O., Scherk, H., Berner, D., Kaizl, I., ... Falkai, P. (2010). Hippocampal plasticity in response to exercise in schizophrenia. *Archives of General Psychiatry*, 67(2), 133–143. doi:10.1001/archgenpsychiatry.2009.193
538. Panayotes Demakakos, Rachel Cooper, Mark Hamer, Cesar de Oliveira, Rebecca Hardy, Elizabeth Breeze, The Bidirectional Association between Depressive Symptoms and Gait Speed: Evidence from the English Longitudinal Study of Ageing (ELSA), *PLoS ONE*, 10.1371/journal.pone.0068632, 8, 7, (e68632), (2013).

539. Parks J Svendsen D Singer P Foti ME Morbidity and mortality in people with serious mental illness. 13th technical report. National Association of State Mental Health Program Directors Medical Directors Council, Alexandria, VA2006
540. Pasco, J., Williams, L., Jacka, F., Henry, M., Coulson, C., Brennan, S., ... Berk, M. (2011). Habitual physical activity and the risk for depressive and anxiety disorders among older men and women. *International Psychogeriatrics*, 23(2), 292-298. doi:10.1017/S1041610210001833
541. Pascoe, M. C., Bailey, A. P., Craike, M., Carter, T., Patten, R., Stepto, N. K., & Parker, A. G. (2020). Exercise interventions for mental disorders in young people: A scoping review. *BMJ Open Sport & Exercise Medicine*, 6(1), e000678.
542. Pascoe, M. C., & Parker, A. G. (2019). Physical activity and exercise as a universal depression prevention in young people: A narrative review. *Early Intervention in Psychiatry*, 13(4), 733– 739.
543. Pascoe, M., Bailey, A. P., Craike, M., Carter, T., Patten, R., Stepto, N., & Parker, A. (2020). Physical activity and exercise in youth mental health promotion: A scoping review. *BMJ Open Sport & Exercise Medicine*, 6(1), e000677.
544. Patel, V., Flisher, A. J., Hetrick, S., & McGorry, P. (2007). Mental health of young people: A global public-health challenge. *Lancet*, 369, 1302– 1313.
545. Patricia M. Bamonti, Amy Fiske, Engaging in pleasant events explains the relation between physical disability and mental health outcomes in older adults, *Aging & Mental Health*, 10.1080/13607863.2019.1683811, (1-9), (2019).
546. Pedersen BK, Saltin B. Exercise as medicine—evidence for prescribing exercise as therapy in 26 different chronic diseases. *Scand J Med Sci Sports*. 2015;25(suppl 3):1–72.
547. Pérez-Iglesias R Martínez-García O Pardo-García G et al. Course of weight gain and metabolic abnormalities in first treated episode of psychosis: the first year is a critical period for development of cardiovascular risk factors. *Int J Neuropsychopharmacol*. 2014; 17: 41-51
548. Perez-Lopez FR, Martinez-Dominguez SJ, Lajusticia H, Chedraui P. Effects of programmed exercise on depressive symptoms in midlife and older women: a meta-analysis of randomized controlled trials. *Maturitas*. 2017;106:38–47.
549. Perraton, L.G., Kumar, S., & Machotka, Z. (2010). Exercise parameters in the treatment of clinical depression: A systematic review of randomized controlled trials. *Journal of Evaluation in Clinical Practice*, 16, 597-604.
550. Peter Przekop, Mark G. Haviland, Keiji Oda, Kelly R. Morton, Prevalence and correlates of pain interference in older adults: Why treating the whole body and mind is necessary, *Journal of Bodywork and Movement Therapies*, 10.1016/j.jbmt.2014.04.011, 19, 2, (217-225), (2015).
551. Philip St. John, Patrick Montgomery, Does Self-Rated Health Predict Death in Older Adults with Depressive Symptoms?, *Canadian Journal on Aging / La Revue canadienne du vieillissement*, 10.1017/S0714980811000559, 31, 1, (49-54), (2012).
552. Physical Activity Guidelines Advisory Committee. 2018 Physical Activity Guidelines Advisory Committee Scientific Report. Washington, DC: US Department of Health and Human Services; 2018.
553. Piercy KL, Troiano RP, Ball+C419:E433d RM, et al. The Physical Activity Guidelines for Americans. *JAMA*. 2018;320:2020–2028.
554. Pillay, J., Boylan, K., Newton, A., Hartling, L., Vandermeer, B., Nuspl, M., Carrey, N., Featherstone, R., & Carrey, N. (2018). Harms of antipsychotics in children and young adults: A systematic review update. *Canadian Journal of Psychiatry*, 63(10), 661– 678.
555. Pillinger T Beck K Stubbs B Howes OD Cholesterol and triglyceride levels in first-episode psychosis: systematic review and meta-analysis. *Br J Psychiatry*. 2017; 211: 339-349
556. Pillinger T D'Ambrosio E McCutcheon R O DH Is psychosis a multisystem disorder? A meta-review of central nervous system, immune, cardiometabolic, and endocrine alterations in first-episode psychosis and perspective on potential models. *Mol Psychiatry*. 2019; 24: 776-794
557. Poudevigne MS, O'Connor PJ. Physical activity and mood during pregnancy. *Med Sci Sports Exerc*. 2005; 37: 1374– 80.

558. Po-Wen Ku, Andrew Steptoe, Yung Liao, Wen-Jung Sun, Li-Jung Chen, Prospective relationship between objectively measured light physical activity and depressive, 2017, symptoms in later life <https://doi.org/10.1002/gps.4672>
559. Powers MB, Medina JL, Burns S, et al. Exercise augmentation of exposure therapy for PTSD: rationale and pilot efficacy data. *Cogn Behav Ther.* 2015;44:314–327.
560. Probst, M. (2017). *Physiotherapy and mental health*, Clinical Physical Therapy, Toshiaki Suzuki, IntechOpen, doi: 10.5772/6759
561. Probst, M. (2018). Eating disorders and exercise: A challenge. In B. Stubbs, & S. Rosenbaum (Eds.), *Exercise-Based Interventions for Mental Illness: A clinical guide to physical activity as part of treatment* (pp. 169–185). Elsevier Academic Press. <https://doi.org/10.1016/B978-0-12-812605-9.00009-5>
562. Professional associations for physical activity YFA, editor. *Physical Activity in the Prevention and Treatment of Disease. Report 2010:14.* : Swedish National Institute of Public Health; 2010. <http://www.fyss.se/fyss-in-english/>
563. Promoting physical health in youth mental health services: ensuring routine monitoring of weight and metabolic indices in a first episode psychosis clinic. *Australas Psychiatry.* 2010; 18: 451-455
564. R. Pruchno, M. Wilson-Genderson, F. Cartwright, Self-Rated Health and Depressive Symptoms in Patients With End-Stage Renal Disease and Their Spouses: A Longitudinal Dyadic Analysis of Late-Life Marriages, *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 10.1093/geronb/gbp006, 64B, 2, (212-221), (2009).
565. R. Stanton BHMSc (Hons), P. Reaburn PhD, B. Happell PhD, Barriers to exercise prescription and participation in people with mental illness: the perspectives of nurses working in mental health <https://doi.org/10.1111/jpm.12205>
566. Raben AT Marshe VS Chintoh A Gorbovskaia I Muller DJ Hahn MK The complex relationship between antipsychotic-induced weight gain and therapeutic benefits: a systematic review and implications for treatment. *Front Neurosci.* 2018; 11: 741
567. Radovic S, Melvin GA, Gordon MS. Clinician perspectives and practices regarding the use of exercise in the treatment of adolescent depression. *J Sports Sci.* 2018;36:1371–1377.
568. Radovic, S., Gordon, M.S., & Melvin, G.A. (2017). Should we recommend exercise to adolescents with depressive symptoms? A meta-analysis. *Journal of Pediatric Child Health*, 53, 214–20.
569. Rasmussen, P., Brassard, P., Adser, H., Pedersen, M.V., Leick, L., Hart, E., Pilegaard, H. (2009). Evidence for a release of brain-derived neurotrophic factor from the brain during exercise. *Experimental Physiology*, 94(10), 1062–1069. doi:10.1113/expphysiol.2009.048512
570. Rathore A, Lom B. The effects of chronic and acute physical activity on working memory performance in healthy participants: a systematic review with meta-analysis of randomized controlled trials. *Syst Rev.* 2017;6(1):124.
571. Ratliff, J.C., Palmese, L.B., Reutenauer, E.L., Liskov, E., Grilo, C.M., & Tek, C. (2012). The effect of dietary and physical activity pattern on metabolic profile in individuals with schizophrenia: A cross-sectional study. *Comprehensive Psychiatry*, 53(7), 1028–1033. doi:10.1016/j.comp-psych.2012.02.003
572. Rebar, A.L., Stanton, R., Geard, D., Short, C., Duncan, M.J., & Vandelanotte, C. (2015). A meta-meta-analysis of the effect of physical activity on depression and anxiety in non-clinical adult populations. *Health Psychology Review*, 9(3), 366-378.
573. Rebecca Lys, Emmanuelle Belanger, Susan P. Phillips, Improved mood despite worsening physical health in older adults: Findings from the International Mobility in Aging Study (IMIAs), *PLOS ONE*, 10.1371/journal.pone.0214988, 14, 4, (e0214988), (2019).
574. Rebekah Carney, Joseph Firth, Exercise interventions in child and adolescent mental health care: An overview of the evidence and recommendations for implementation, 2021 <https://doi.org/10.1002/jcv2.12031>

575. Rebekah Edie, Alexis Lacewell, Christine Streisel, Lauren Wheeler, Ellie George, Jordan Wrigley, Laura Pietrosimone, Carol Figuers, Barriers to Exercise in Postpartum Women: A Mixed-Methods Systematic Review, *Journal of Women's Health Physical Therapy*, 10.1097/JWH.000000000000201, 45, 2, (83-92), (2021).
576. Recommendations on EU Guidelines for the use of Physical Activity on Mental Health» by the responsible InALMH Project Scientific: Yiannis Theodorakis, Marios Goudas, Mary Hassandra, Ioannis Morres, Christos Mouzakidis, Magdalini Tsolaki. Not published yet, available at https://media-exp1.licdn.com/dms/document/C4D1FAQEWKKO_I2u7tw/feedshare-document-pdf-analyzed/0/1623858233191?e=1632384000&v=beta&t=oZuDBWda1dtPoyjUXFmua5LhkPPaCrOLXhHRiZc9-Jo
577. Rector NA, Richter MA, Lerman B, et al. A pilot test of the additive benefits of physical exercise to CBT for OCD. *Cogn Behav Ther.* 2015;44:328–340.
578. Reiner, M., Niermann, C., Jekauc, D., & Woll, A. (2013). Long-term health benefits of physical activity: A systematic review of longitudinal studies. *BMC Public Health*, 13(1), 813.
579. Reiss, A.L. (2009). Childhood developmental disorders: an academic and clinical convergence point for psychiatry, neurology, psychology and pediatrics. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 50(1-2), 87–98. doi: 10.1111/j.1469-7610.2008.02046.x
580. Rethorst, C.D., & Trivedi, M.H. (2013). Evidence-based recommendations for the prescription of exercise for major depressive disorder. *Journal of Psychiatric Practice*, 19(3), 204-212.
581. Rethorst, C.D., Wipfli, B.M., & Landers, D.M. (2009). The anti-depressive effects of exercise. *Sports Medicine*, 39(6), 491–511.
582. Reviews, 25, 13-23. doi:10.1016/j.arr.2015.11.005
583. Rhodes, R.E., & Pfaeffli, L.A. (2009). Mediators of physical activity behaviour change among adult non-clinical populations: A review update. *International Journal of Behavioral Nutrition and Physical Activity*, 7, 37.
584. Richardson CR, Faulkner G, McDevitt J, Skrinar GS, Hutchinson DS, Piette JD Integrating physical activity into mental health services for persons with serious mental illness. *Psychiatr Serv.* 2005; 56: 324-331
585. Richardson, C., Faulkner, G., McDevitt, J., Skrinar, G.S., Hutchison, D.S., & Piette, J.D. (2005). Integrating physical activity into mental health services for individuals with serious mental illness. *Psychiatric Services*, 56, 324-331.
586. Riebe D, Ehrman JK, Liguori G, et al. ACSM's Guidelines for Exercise Testing and Prescription. Philadelphia, PA: Wolters Kluwer; 2018.
587. Riff, C., & Singer, B. (2008). Know thyself and become what you are: A Eudaimonic approach to psychological well-being. *Journal of Happiness Studies*, 9, 13-39. doi: 10.007/s10902-006-9019-0
588. Riitta Leskinen, Riitta Antikainen, Markku Peltonen, Risto Sippola, Pekka Jousilahti, Tiina Laatikainen, Determinants of changes in self-rated health among Finnish war veterans: Results from the Veteran Project 1992 and 2004 surveys, *Archives of Gerontology and Geriatrics*, 10.1016/j.archger.2011.09.011, 55, 2, (343-348), (2012).
589. Rimer, J., Dwan, K., Lawlor, D.A., Greig, C.A., McMurdo, M., Morley, W., & Mead, G.E. (2012). Exercise for depression. *The Cochrane Database of Systematic Reviews*, 11(7), CD004366.
590. Robert Stanton, Brenda Happell, Peter Reaburn The mental health benefits of regular physical activity, and its role in preventing future depressive illness © 2014 Stanton et al. *Nursing: Research and Reviews* 2014;4 45–53
591. Robert Stanton, Simon Rosenbaum, Peter Reaburn, Brenda Happell A multidisciplinary approach to aerobic exercise prescription for mental illness, 2014 ISSN:1032-5662
592. Robertson, R., Robertson, A., Jepson, R., & Maxwell, M. (2012). Walking for depression or depressive symptoms: a systematic review and meta-analysis. *Mental Health Physical Activity*, 5(1), 66–75.
593. Robin Chatterjee and Roger Wolman Exercise is medicine: a case study of an exercise prescription clinic in the NHS *British Journal of General Practice* 2019; 69 (683): 307-308. DOI: <https://doi.org/10.3399/bjgp19X704033>

594. Robinson, M., Keating, F., & Robertson, S. (2011). Ethnicity, gender and mental health. *Diversity in Health and Care*, 8, 81–92.
595. Roeh A, Kirchner SK, Malchow B, Maurus I, Schmitt A, Falkai P, Hasan A. Depression in somatic disorders: is there a beneficial effect of exercise?. *Frontiers in psychiatry*. 2019 Mar 20;10:141.
596. Roick, C., Fritz-Wieacker, A., Matschinger, H., Heider, D., Schindler, J., Riedel-Heller, S., & Angermeyer, M.C. (2007). Health habits of patients with schizophrenia. *Social Psychiatry and Psychiatric Epidemiology*, 42(4), 268-276.
597. Romé Å, Persson U, Ekdahl C, Gard G. Physical activity on prescription (PAP): Costs and consequences of a randomized, controlled trial in primary healthcare. *Scandinavian Journal of Primary Health Care*. 2009; 27:216-22.
598. Rosenbaum, S., Lederman, O., Stubbs, B., Vancampfort, D., Stanton, R., & Ward, P. B. (2016). How can we increase physical activity and exercise among youth experiencing first-episode psychosis? A systematic review of intervention variables. *Early Intervention in Psychiatry*, 10(5), 435–440.
599. Rosenbaum, S., Tiedemann, A., Sherrington, C., Curtis, J., & Ward, P.B. (2014). Physical activity interventions for people with mental illness: a systematic review and meta-analysis. *Journal of Clinical Psychiatry*, 75(9), 964–974.
600. Rosenbaum, S., Tiedemann, A., Stanton, R., Parker, A., Waterreus, A., Curtis, J., & Ward, P.B. (2016). Implementing evidence-based physical activity interventions for people with mental illness: An Australian perspective. *Australasian Psychiatry*, 24, 49e54.
601. Ruchat SM, Mottola MF, Skow RJ, Nagpal TS, Meah VL, James M, et al. Effectiveness of exercise interventions in the prevention of excessive gestational weight gain and postpartum weight retention: a systematic review and meta-analysis. *Br J Sports Med*. 2018;52(21):1347–56.
602. Ruth Hubbard, Nader Fallah, Samuel Searle, Arnold Mitnitski, Kenneth Rockwood, Impact of Exercise in Community-Dwelling Older Adults, *Social Work and Geriatric Services*, 10.1201/b13135, (106-118), (2011).
603. Ryan RM Deci EL Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. *Am Psychol*. 2000; 55: 68-78 Breitborde NJK Kleinlein P Srihari VH Self-determination and first-episode psychosis: associations with symptomatology, social and vocational functioning, and quality of life. *Schizophr Res*. 2012; 137: 132-136
604. Sàez de Adana, E., Cano, A.I., Eizaguirre, A., & López, S. (2014). Efectos adversos de antipsicóticos atípicos, diferencias según sexo. *Psiquiatría Biológica*, 21(3), 95-101.
605. Saha S Chant D McGrath J A systematic review of mortality in schizophrenia: is the differential mortality gap worsening over time?. *Arch Gen Psychiatry*. 2007; 64: 1123-1131
606. Saha S Chant D McGrath J A systematic review of mortality in schizophrenia: is the differential mortality gap worsening over time?. *Arch Gen Psychiatry*. 2007; 64: 1123-1131
607. Saha, S., Chant, D., & McGrath, J. (2007). A systematic review of mortality in schizophrenia: Is the differential mortality gap worsening? *Archives of General Psychiatry*, 64, 1123-1131. doi:10.1001/archpsyc. 64,10,1123.
608. Sallis R Developing healthcare systems to support exercise: exercise as the fifth vital sign. *B J Sports Med*. 2011; 45: 473-474
609. Sallis, J., & Owen, N. (1999). *Physical activity and behavioral medicine*. Thousand Oaks, CA: Sage.
- Sharpe, J.K., Stedman, T.J., Byrne, N.M., & Hills, A.P. (2006). Energy expenditure and physical activity in clozapine use: Implications for weight management. *Australian and New Zealand Journal of Psychiatry*, 40, 810-814.
610. Salmon, P. (2001). Effects of physical exercise on anxiety, depression, and sensitivity to stress: A unifying theory. *Clinical Psychology Review*, 21, 33-61.
611. SalwaA Almalki, EmanF Ibraheem, Turkiyah Alotibi, Level of exercise and physical activity among pregnant women in Saudi Arabia: A systematic review, *Journal of Family Medicine and Primary Care*, 10.4103/jfmpc.jfmpc_2408_20, 10, 6, (2140), (2021).

612. Samele C, Patel M, Boydell J, Leese M, Wessely S, Murray R. Physical illness and lifestyle risk factors in people with their first presentation of psychosis. *Soc Psychiatry Psychiatr Epidemiol.* 2007; 42: 117-124
613. Samele C, Patel M, Boydell J, Leese M, Wessely S, Murray R. Physical illness and lifestyle risk factors in people with their first presentation of psychosis. *Soc Psychiatry Psychiatr Epidemiol* 42: 117–124.
614. Sammi R, Chekroud Ralitza, Gueorguieva Amanda, B Zheutlin, Martin Paulus, Harlan M, Krumholz John, H Krystal and others. Association between physical exercise and mental health in 1.2 million individuals in the USA between 2011 and 2015: a cross-sectional study. *The Lancet Psychiatry* Vol. 5 No. 9p739–746. Published: August 8, 2018
615. Sanders, L.M., Hortobagyi, T., la Bastide-van Gemert, S., van der Zee, E.A., & van Heuvelen, M.J. (2019). Dose-response relationship between exercise and cognitive function in older adults with and without cognitive impairment: a systematic review and meta-analysis. *PloS One*, 14(1), e0210036
616. Sara L. Weisenbach, Joseph Kim, Dustin Hammers, Kelly Konopacki, Vincent Koppelmans, Linking Late Life Depression and Alzheimer’s Disease: Mechanisms and Resilience, *Current Behavioral Neuroscience Reports*, 10.1007/s40473-019-00180-7, (2019).
617. Sarah Jane Liva, Wendy Anne Hall, John Oliffe, Reconciling relationships with physical activity: a qualitative study of women’s postnatal physical activity decision-making, *BMC Pregnancy and Childbirth*, 10.1186/s12884-020-03537-z, 21, 1, (2021).
618. Schaal, K., Tafflet, M., Nassif, H., Thibault, V., Pichard, C., Alcotte, M., ... Toussaint, J.-F. (2011). Psychological Balance in High Level Athletes: Gender-Based Differences and Sport- Specific Patterns. *PLoS ONE* 6(5), e19007. doi: 10.1371/journal.pone.0019007
619. Scheewe T, Backx F, Takken T, et al. Exercise therapy improves mental and physical health in schizophrenia: a randomised controlled trial. *Acta Psychiatr Scand.* 2013;127:464–473.
620. Scheewe, T.W., Backx, F.J.G., Takken, T., Jörg, F., van Strater, A.C.P., Kroes, A.G., ... Cahn, W. (2013). Exercise therapy improves mental and physical health in schizophrenia: A randomized controlled trial. *Acta Psychiatrica Scandinavica*, 127(6), 464-473.
621. Scherder, E., Scherder, R., Verburch, L., Königs, M., Blom, M., Kramer, A.F., & Eggermont, L. (2014). Executive functions of sedentary elderly may benefit from walking: A systematic review and meta-analysis. *American Journal of Geriatric Psychiatry*, 22(8), 782-791. doi:10.1016/j.jagp.2012.12.026
622. Schmitz, N., Kruse, J., & Kugler, J. (2004). The association between physical exercises and health-related quality of life in subjects with mental disorders: results from a cross-sectional survey. *Preventive Medicine*, 39(6), 1200-1207.
623. Schmutte T, Flanagan E, Bedregal L et al. Self-efficacy and self-care: missing ingredients in health and healthcare among adults with serious mental illnesses. *Psychiatr Q.* 2009; 80: 1-8
624. Schuch FB, Vancampfort D, Firth J et al. Physical activity and incident depression: a meta-analysis of prospective cohort studies. *Am J Psychiatry.* 2018; 175: 631-648
625. Schuch FB, Stubbs B, Meyer J, Heissel A, Zech P, Vancampfort D, et al. Physical activity protects from incident anxiety: A meta-analysis of prospective cohort studies. *Depress Anxiety.* 2019;36(9):846–58.
626. Schuch FB, Vancampfort D, Firth J, Rosenbaum S, Ward PB, Silva ES, et al. Physical activity and incident depression: a meta-analysis of prospective cohort studies. *Am J Psychiatry.* 2018;175(7):631–48.
627. Schuch, F.B., Vancampfort, D., Richards, J., Rosenbaum, S., Ward, P.B., & Stubbs, B. (2016). Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. *Journal of Psychiatric Research*, 77, 42-51.
628. Scocco P, Longo R, Caon F. Weight change in treatment with olanzapine and a psychoeducational approach. *Eat Behav.* 2006; 7: 115-124
629. Scollo MM, Winstanley MH. Tobacco in Australia: facts and issues. Cancer Council Victoria, Melbourne 2012. <http://www.tobaccoinustralia.org.au/downloads/chapters/Introduction.pdf> (accessed May 14, 2015)

630. Scopus (112) PubMed Crossref Google Scholar Mauri M Simoncini M Castrogiovanni S et al. A psychoeducational program for weight loss in patients who have experienced weight gain during antipsychotic treatment with olanzapine. *Pharmacopsychiatry*. 2008; 41: 17-23
631. Selby, C.L.B., & Reel, J.J. (2011). A coach's guide to identifying and helping athletes with eating disorders. *Journal of Sport Psychology in Action*, 2(2), 100-112. <https://doi.org/10.1080/21520704.2011.585701>
632. Semiha Aydın Özkan, Didem Simsek Küçükkelepce, Busra Korkmaz, Gizem Yılmaz, Merve Ayse Bozkurt, The effectiveness of an exercise intervention in reducing the severity of postpartum depression: A randomized controlled trial, *Perspectives in Psychiatric Care*, 10.1111/ppc.12500, 56, 4, (844-850), (2020).
633. Serge Brand, Flora Colledge, Sebastian Ludyga, Raphael Emmenegger, Nadeem Kalak, Dena Sadeghi Bahmani, Edith Holsboer-Trachsler, Uwe Pühse, Markus Gerber, Acute Bouts of Exercising Improved Mood, Rumination and Social Interaction in Inpatients With Mental Disorders, *Frontiers in Psychology*, 10.3389/fpsyg.2018.00249, 9, (2018).
634. Shawn M. Arent, Alan J. Walker, Michelle A. Arent, The Effects of Exercise on Anxiety and Depression, *Handbook of Sport Psychology*, 10.1002/9781119568124, (872-890), (2020).
635. Shepherd, S.O., et al. (2015). Low-Volume High-Intensity Interval Training in a Gym Setting Improves Cardio-Metabolic and Psychological Health. *PloS One*, 10(9):e0139056. doi: 10.1371/journal.pone.0139056. eCollection 2015.
636. Sherman, R. T., & Thompson, R. A. (2009). Body image and eating disturbance in athletes: Competing to win or to be thin? In J. J. Reel & K. A. Beals (Eds.), *The hidden faces of eating disorders and body image* (pp. 9–38). Reston, VA: AAHPERD.
637. Sherrington C, Fairhall NJ, Wallbank GK, Tiedemann A, Michaleff ZA, Howard K, et al. Exercise for preventing falls in older people living in the community. *Cochrane Database Syst Rev*. 2019;1:CD012424.
638. Shira Peleg, Erga Drori, Shmuel Banai, Ariel Finkelstein, Shoshana Shiloh, The Dynamic Nature of Self-Assessed Health (SAH) as a Function of Negative and Positive Affects among Cardiac Patients, *Applied Psychology: Health and Well-Being*, 10.1111/aphw.12099, 9, 3, (370-386), (2017).
639. Shira Peleg, Gabriel Nudelman, Associations between self-rated health and depressive symptoms among older adults: Does age matter?, *Social Science & Medicine*, 10.1016/j.socscimed.2021.114024, 280, (114024), (2021).
640. Shor, R., & Shalev, A. (2016). Barriers to involvement in physical activities of persons with mental illness. *Health Promotion International*, 31(1), 116-123.
641. Shroff, H., Reba, L., Thornton, L.M., Tozzi, F., Klump, K.L., Berrettini, ... Bulik, C.M. (2006). Features associated with excessive exercise in women with eating disorders. *International Journal of Eating Disorders*, 39(6), 454-461. <https://doi.org/10.1002/eat.20247>
642. Shwu-Ru Liou, Panchalli Wang, Ching-Yu Cheng, Longitudinal study of perinatal maternal stress, depressive symptoms and anxiety, *Midwifery*, 10.1016/j.midw.2013.11.007, 30, 6, (795-801), (2014).
643. Sibold, J., Edwards, E., Murray-Close, D., and Hudziak, J.J. (2015). Physical activity, sadness, and suicidality in bullied US adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 54 (10), 808-815.
644. Simony L. Nascimento, Fernanda G. Surita, José G. Cecatti, Physical exercise during pregnancy, *Current Opinion in Obstetrics and Gynecology*, 10.1097/GCO.0b013e328359f131, 24, 6, (387-394), (2012).
645. Siru R Hulse GK Tait RJ Assessing motivation to quit smoking in people with mental illness: a review. *Addiction*. 2009; 104: 719-733
646. Siyuan Liu, Yanan Qiao, Ying Wu, Yueping Shen, Chaofu Ke, The longitudinal relation between depressive symptoms and change in self-rated health: A nationwide cohort study, *Journal of Psychiatric Research*, 10.1016/j.jpsychires.2021.02.039, 136, (217-223), (2021).

647. Sjoling M, Lundberg K, Englund E, Westman A, Jong M. Effectiveness of motivational interviewing and physical activity on prescription on leisure exercise time in subjects suffering from mild to moderate hypertension. *BMC Research Notes*. 2011; 4:352.
648. Smith, P.J., Potter, G.G., McLaren, M.E., & Blumenthal, J.A. (2013). Impact of aerobic exercise on neurobehavioral outcomes. *Mental Health and Physical Activity*, 6(3), 139–153. doi:10.1016/j.mhpa.2013.06.008
649. Songee Jung, Sangyoon Lee, Sungchul Lee, Seongryu Bae, Masakazu Imaoka, Kazuhiro Harada, Hiroyuki Shimada, Relationship between physical activity levels and depressive symptoms in community-dwelling older Japanese adults, 2017 <https://doi.org/10.1111/ggi.13195>
650. Song-lee Hong, Li-Mei Chen, Contribution of Residential Relocation and Lifestyle to the Structure of Health Trajectories, *Journal of Aging and Health*, 10.1177/0898264308328960, 21, 2, (244-265), (2009).
651. Sophie Meunier, Simon Coulombe, Marie-Dominique Beaulieu, José Côté, François Lespérance, Jean-Louis Chiasson, Louis Bherer, Jean Lambert, Janie Houle, Longitudinal testing of the Information-Motivation-Behavioral Skills model of self-care among adults with type 2 diabetes, *Patient Education and Counseling*, 10.1016/j.pec.2016.06.011, 99, 11, (1830-1836), (2016).
652. Sorensen JB, Skovgaard T, Puggaard L. Exercise on prescription in general practice: a systematic review. *Scand J Prim Health Care*. 2006;24:69–74.
653. Sorenson, M. (2006). Motivation for physical activity of psychiatric patients when physical activity was offered as part of treatment. *Scandinavian Journal of Medicine and Science in Sports*, 16, 391-398.
654. Soundy, A., Freeman, P., Stubbs, B., Probst, M., & Vancampfort, D. (2014a). The value of social support to encourage people with schizophrenia to engage in physical activity: An international insight from specialist mental health physiotherapists. *Journal of Mental Health*, 23, 256–260.
655. Soundy, A., Freeman, P., Stubbs, B., Probst, M., Coffee, P., & Vancampfort, D. (2014b). The transcending benefits of physical activity for individuals with schizophrenia: A systematic review and meta-ethnography. *Psychiatry Research*, 220, 11–19.
656. Souza De Sa Filho, A., Marcos De Souza Moura, A., Khede Lamego, M., Barbosa Ferreira Rocha, N., Paes, F., Cristina Oliveira, A., Lattari, E., Rimes, R., et al. (2015). Potential therapeutic effects of physical exercise for bipolar disorder. *CNS and Neurological Disorders - Drug Targets*, 14, 1255e1259.
657. Srinivasan TN Thara R Smoking in schizophrenia—all is not biological. *Schizophr Res*. 2002; 56: 67-74
658. Stafne S, Salvesen KA, Romundstad P, Eggebø T, Carlsen S, Mørkved S. Regular exercise in pregnancy to prevent gestational diabetes: a randomized controlled trial. *Obstet Gynecol*. 2011 (in press).
659. Stanczykiewicz B, Banik A, Knoll N, Keller J, Hohl DH, Rosinczuk J, et al. Sedentary behaviors and anxiety among children, adolescents and adults: a systematic review and meta-analysis. *BMC Public Health*. 2019/05/02 ed2019. p.459.
660. Stanton R, Franck C, Reaburn P, et al. A pilot study of the views of general practitioners regarding exercise for the treatment of depression. *Perspect Psychiatr Care*. 2015;51:253–259.
661. Stanton R, Happell B, Reaburn P. The development of a questionnaire to investigate the views of health professionals regarding exercise for the treatment of mental illness. *Ment Health Phys Act*. 2014;7:177–182.
662. Stanton, R., & Reaburn, P. (2014). Exercise and the treatment of depression: A review of the exercise program variables. *Journal of Science and Medicine in Sport*, 17(2), 177–182.
663. Steinberg M, Leoutsakos JMS, Podewils LJ, et al. Evaluation of a home-based exercise program in the treatment of Alzheimer's disease: the Maximizing Independence in Dementia (MIND) Study. *Int J Geriatr Psychiatry*. 2009;24:680–685.
664. Stephan Müller, Oliver Preische, Hamid R. Sohrabi, Susanne Gräber, Mathias Jucker, John M. Ringman, Ralph N. Martins, Eric McDade, Peter R. Schofield, Bernardino Ghetti, Martin Rossor, Nick N. Fox, Neill R. Graff-Radford, Johannes Levin, Adrian Danek, Jonathan Vöglein, Stephen Salloway, Chengjie Xiong, Tammie Benzinger, Virginia Buckles, Colin L. Masters, Reisa Sperling, Randall J.

- Bateman, John C. Morris, Christoph Laske, Dominantly Inherited Alzheimer Network (DIAN), Relationship between physical activity, cognition, and Alzheimer pathology in autosomal dominant Alzheimer's disease 2018 <https://doi.org/10.1016/j.jalz.2018.06.3059>
665. Stephanie J Woodley, Peter Lawrenson, Rhianon Boyle, June D Cody, Siv Mørkved, Ashleigh Kernohan, E Jean C Hay-Smith, Pelvic floor muscle training for preventing and treating urinary and faecal incontinence in antenatal and postnatal women, *Cochrane Database of Systematic Reviews*, 10.1002/14651858.CD007471.pub4, (2020).
666. Stephanie J Woodley, Rhianon Boyle, June D Cody, Siv Mørkved, E Jean C Hay-Smith, Pelvic floor muscle training for prevention and treatment of urinary and faecal incontinence in antenatal and postnatal women, *Cochrane Database of Systematic Reviews*, 10.1002/14651858.CD007471.pub3, (2017).
667. Strassnig, M.T., Raykov, T., O’Gorman, C., Bowie, C.R., Sabbag, S., Durand, D., Harvey, P.D. (2015). Determinants of different aspects of everyday outcome in schizophrenia: The roles of negative symptoms, cognition, and functional capacity. *Schizophrenia Research*, 165(1), 76-82. doi:10.1016/j.schres.2015.03.033
668. Strawbridge, W.J., Deleger, S., Roberts, R.E., & Kaplan, G.A. (2012). Physical activity reduces the risk of subsequent depression for older adults. *American Journal of Epidemiology*, 156(4), 328–334.
669. Ströhle, A., Höfler, M., Pfister, H., Müller, A.G., Hoyer, J., Wittchen, H.U., & Lieb, R. (2007). Physical activity and prevalence and incidence of mental disorders in adolescents and young adults. *Psychological Medicine*, 37(11), 1657-1666.
670. Stubbs B, Vancampfort D, Hallgren M, Firth J, Veronese N, Solmi M, et al. EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). *Eur Psychiatry*. 2018/09/28 ed2018. p. 124-44.
671. Stubbs, B., Firth, J., Berry, A., Schuch, F.B., Rosenbaum, S., Gaughran, F., ... & Vancampfort, D. (2016a). How much physical activity do people with schizophrenia engage in? A systematic review, comparative meta-analysis and meta-regression. *Schizophrenia Research*, 176(2-3), 431-440. doi:10.1016/j.schres.2016.05.017.
672. Stubbs, B., Probst, M., Soundy, A., Parker, A., De Herdt, A., De Hert, M., Mitchell, A. J., & Vancampfort, D. (2014). Physiotherapists can help implement physical activity programmes in clinical practice. *The British Journal of Psychiatry*, 204(2), 164.
673. Stubbs, B., Vancampfort, D., Hallgren, M., Firth, J., Veronese, N., Solmi, M., ... Kahl, K.G. (2018). EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). *European Psychiatry*, 54, 124-144. <https://doi.org/10.1016/j.psychres.2016.12.020>
674. Stubbs, B., Vancampfort, D., Rosenbaum, S., Firth, J., Cosco, T., Veronese, N., ... Schuch, F.B. (2017). An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. *Psychiatry Research*, 249, 102-108. <https://doi.org/10.1016/j.psychres.2016.12.020>
675. Stubbs, B., Vancampfort, D., Rosenbaum, S., Ward, P.B., Richards, J., Soundy, A., ... & Schuch, F.B. (2017). Acute and chronic effect of physical activity on cognition and behaviour in young people with ADHD: A systematic review of intervention studies. *Res Dev Disabil*. 2018/04/07 ed2018. p. 12-23.
677. Subramaniapillai, M., Arbour-Nicitopoulos, K., Duncan, M., McIntyre, R.S., Mansur, R.B., Remington, G., & Faulkner, G. (2016). Physical activity preferences of individuals diagnosed with schizophrenia or bipolar disorder. *BMC Research Notes*, 9, 340. doi:10.1186/s13104-016-2151-y
678. Suchert V, Hanewinkel R, Isensee B. Sedentary behavior and indicators of mental health in school-aged children and adolescents: a systematic review. *Prev Med*. 2015;76:48–57.

679. Suetani, S., Waterreus, A., Morgan, V., Foley, D., Galletly, C., Badcock, J., ... & Saha, S. (2016). Correlates of physical activity in people living with psychotic illness. *Acta Psychiatrica Scandinavica*, 134(2), 1-9.
680. Sulkes, S.B. (2018). Autism spectrum disorders. *MSD Manual*.
681. Susan Liipfert Shelton, Shih-Yu "Sylvia" Lee, Women's Self-Reported Factors That Influence Their Postpartum Exercise Levels, *Nursing for Women's Health*, 10.1016/j.nwh.2018.02.003, 22, 2, (148-157), (2018).
682. Suzuki, W. (2015). Happy Brain. <http://www.sperling.it/libri/happy-brain-wendy-suzuki>.
683. Syed Afroz Keramat, Khorshed Alam, Nusrat Jahan Sathi, Jeff Gow, Stuart J.H. Biddle, Mohammed Khaled Al-Hanawi, Self-reported disability and its association with obesity and physical activity in Australian adults: Results from a longitudinal study, *SSM - Population Health*, 10.1016/j.ssmph.2021.100765, 14, (100765), (2021).
684. Sylvia, L.G., Ametrano, R.M., & Nierenberg, A.A. (2010). Exercise treatment for bipolar disorder: potential mechanisms of action mediated through increased neurogenesis and decreased allostatic load. *Psychotherapy and Psychosomatics*, 79(2), 87-9.
685. Sylvia, L.G., Kopeski, L.M., Mulrooney, C., Reid, J., Jacob, K., & Neuhaus, E.C. (2009). Does exercise impact mood? Exercise patterns of patients in a psychiatric partial hospital program. *Journal of Psychiatric Practice*, 15, 70-78.
686. Szuhany KL, Bugatti M, Otto MW. A meta-analytic review of the effects of exercise on brain-derived neurotrophic factor. *Journal of Psychiatry Research* 60:56-64, 2015
687. Takeda, F., Noguchi, H., Monma, T., and Tamiya, N. (2015). How Possibly Do Leisure and Social Activities Impact Mental Health of Middle-Aged
688. Tanigawa, T., Takechi, H., Arai, H., Yamada, M., Nishiguchi, S., & Aoyama, T. (2014). Memory and physical activity in elderly. *Geriatrics and Gerontology International*, 14, 758-762. doi:10.1111/ggi.12159
689. Tatiana Chama Borges Luz, Cibele Comini César, Maria Fernanda Lima-Costa, Fernando Augusto Proietti, Satisfaction with the neighborhood environment and health in older elderly: cross-sectional evidence from the Bambuí cohort study of aging, *Cadernos de Saúde Pública*, 10.1590/S0102-311X2011001500009, 27, suppl 3, (s390-s398), (2011).
690. Taylor, A. (2014). Improving the lives of people with mental illness. www.royalcollegeofpsychiatrists.org. UK.
691. Ten Have, M., de Graaf, R., & Monshouwer, K. (2011). Physical exercise in adults and mental health status. Findings from the Netherlands mental health survey and incidence study (NEMESIS). *Journal of Psychosomatic Research*, 71(5), 342-348. doi:10.1016/j.jpsychores.2011.04.001
692. Terry-McElrath, Y.M. & O'Malley, P.M. (2011). Substance use and exercise participation among young adults: parallel trajectories in a national cohort-sequential study. *Addiction*, 106(10), 1855-1865. <https://doi.org/10.1111/j.1360-0443.2011.03489>.
693. Testa, A., & Amara, M. (2016). *Sport in Islam and in Muslim communities*. London: Routledge.
694. Teychenne M Ball K Salmon J Sedentary behavior and depression among adults: a review. *Int J Behav Med*. 2010; 17: 246-254
695. Thays Martins Vital, Salma S. Soleman Hernandez, Angelica Miki Stein, Marcelo Garuffi, Danilla Icassatti Corazza, Larissa Pires de Andrade, José Luiz Riani Costa, Florindo Stella, Depressive symptoms and level of physical activity in patients with Alzheimer's disease 2012 <https://doi.org/10.1111/j.1447-0594.2011.00830.x>
696. The Global strategy for women's children's and adolescents' health (2016-2030). *Every Woman Every Child* (2015). <https://www.who.int/life-course/partners/global-strategy/en/> La salute men- tale nelle varie fasi della vita, report ISTAT (2015-2017), www.istat.it
697. The Lancet, Physical Activity 2016: Progress and Challenges, July 2016).
698. The National Board of Health and Welfare. Disease Prevention in the Swedish Healthcare System: Health situation, national guidelines and implementation. artikelnr 2013-5-6 ed. Väserås2013.

- 699.Theodorakis Y. "Exercise, mental health and quality of life" 2017, Athens, Greece
- 700.Theresa E. Gildner, Elise J. Laugier, Zaneta M. Thayer, Exercise routine change is associated with prenatal depression scores during the COVID-19 pandemic among pregnant women across the United States, *PLOS ONE*, 10.1371/journal.pone.0243188, 15, 12, (e0243188), (2020).
- 701.Thomson, D., Turner, A., Lauder, S., Gigler, M.E., Berk, L., ... Sylvia, L. (2015). A brief review of exercise, bipolar disorder, and mechanistic pathways. *Frontiers in Psychology* 6(1), 147. doi:10.3389/fpsyg.2015.00147
- 702.Thornicroft, G., (2011). Physical health disparities and mental illness: The scandal of premature mortality. *The British Journal of Psychiatry*, 199(6), 441– 442.
- 703.Tim Carter, Anastasios Bastounis, Boliang Guo, C Jane Morrell, The effectiveness of exercise-based interventions for preventing or treating postpartum depression: a systematic review and meta-analysis, *Archives of Women's Mental Health*, 10.1007/s00737-018-0869-3, 22, 1, (37-53), (2018).
- 704.Toby Pillinger, MRCP † Robert A McCutcheon, MRCPsych † Luke Vano, MD Yuya Mizuno, MRCPsych Atheeshaan Arumuham, MD Guy Hindley, MD et al. Comparative effects of 18 antipsychotics on metabolic function in patients with predictors of
- 705.Toni G, Belvederi Murri M, Piepoli M, Zanetidou S, Cabassi A, Squatrito S et al. Physical Exercise for Late-Life Depression: Effects on Heart Rate Variability. *Am J Geriatr Psychiatry* 2016; 24: 989–997.
- 706.Toseeb U Brage S Corder K et al. Exercise and depressive symptoms in adolescents: a longitudinal cohort study. *JAMA Pediatr*. 2014; 168: 1093-1100
- 707.Tremblay MS, Aubert S, Barnes JD, Saunders TJ, Carson V, Latimer-Cheung AE, et al. Sedentary Behavior Research Network (SBRN) – Terminology consensus project process and outcome. *Int J Behav Nutr Phys Act*. 2017;14(1):75.
- 708.Tremblay MS, Carson V, Chaput JP, Connor Gorber S, Dinh T, Duggan M, et al. Canadian 24-hour movement guidelines for children and youth: an integration of physical activity, sedentary behaviour, and sleep. *Applied Physiol Nutr Metab*. 2016;41(6 Suppl 3):S311–27.
- 709.Tremblay, M.S., Kho, M.E., Tricco, A.C., & Duggan, M. (2010). Process description and evaluation of Canadian physical activity guidelines development. *International Journal of Behavioral Nutrition and Physical Activity*, 7, 42. <https://doi.org/10.1186/1479-5868-7-42>
- 710.Trivedi, M.H., Greer, T.L., Church, T.S., Carmody, T.J., Grannemann, B.D., Galper, D.I., ... Blair, S.N. (2011). Exercise as an augmentation treatment for non-remitted major depressive disorder: A randomized, parallel dose comparison. *Journal of Clinical Psychiatry*, 72(5), 677–684.
- 711.Tsoi DT Porwal M Webster AC Interventions for smoking cessation and reduction in individuals with schizophrenia. *Cochrane Database Syst Rev*. 2013; 2 (CD007253)
- 712.Tylee, A., Haller, D. M., Graham, T., Churchill, R., & Sanci, L. A. (2007). Youth-friendly primary-care services: How are we doing and what more needs to be done? *The Lancet*, 369(9572), 1565- 1573.
- 713.U.S. Department of Health and Human Services. *Physical Activity Guidelines for Americans*. 2nd edition ed. Washington, DC: U.S. Department of Health and Human Services; 2018.
- 714.Umbricht DS Pollack S Kane JM Clozapine and weight gain. *J Clin Psychiatry*. 1994; 55: 157-160
- 715.US Department of Health and Human Services (2008). *2008 Physical Activity Guidelines for Americans*. Washington, DC: US Department of Health and Human Services.
- 716.Ussher, M., Stanbury, L., Cheeseman, V., & Faulkner, G. (2007). Physical activity preferences and perceived barriers to activity among persons with severe mental illness in the United Kingdom. *Psychiatric Services*, 58, 405-408.
- 717.Valanou, E.M., Bamia, C., Chloptsios, M., Koliva, A, & Trichopoulou, A. (2006). Physical activity of 28,030 men and women of the Greek EPIC cohort. *Archives of Hellenic Medicine*, 23(2), 149-158.
- 718.Vancampfort D De Hert M Stubbs B et al. Negative symptoms are associated with lower autonomous motivation towards physical activity in people with schizophrenia. *Compr Psychiatry*. 2015; 56: 128-132
- 719.Vancampfort D De Hert M Vansteenkiste M et al. The importance of self-determined motivation towards physical activity in patients with schizophrenia. *Psychiatry Res*. 2013; 210: 812-818

720. Vancampfort D, Knapen J, Probst M, Scheewe T, Remans S, De Hert M. A systematic review of correlates of physical activity in patients with schizophrenia. *Acta Psychiatr Scand.* 2012; 125: 352-362
721. Vancampfort D, Probst M, Scheewe T et al. Relationships between physical fitness, physical activity, smoking and metabolic and mental health parameters in people with schizophrenia. *Psychiatry Res.* 2013; 207: 25-32
722. Vancampfort D, Stubbs B, Mitchell AJ et al. Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and meta-analysis. *World Psychiatry.* 2015; 14: 339-347
723. Vancampfort D, Stubbs B, Ward P, Teasdale S, Rosenbaum S. Integrating physical activity as medicine in the care of people with severe mental illness. *Aust N Z J Psychiatry.* 2015; 49: 681-682
724. Vancampfort D, Stubbs B, Ward PB, Teasdale S, Rosenbaum S. Why moving more should be promoted for severe mental illness. *Lancet Psychiatry.* 2015; 2: 295
725. Vancampfort D, Wampers M, Mitchell AJ et al. A meta-analysis of cardio-metabolic abnormalities in drug naive, first-episode and multi-episode patients with schizophrenia versus general population controls. *World Psychiatry.* 2013; 12: 240-250
726. Vancampfort, D., Correll, C.U., Probst, M., Sienaert, P., Wyckaert, S., De Herdt, A., ... & De Hert,
727. Vancampfort, D., De Hert, M., Sweers, K., De Herdt, A., Detraux, J., & Probst, M. (2013a). Diabetes, physical activity participation and exercise capacity in patients with schizophrenia. *Psychiatry and Clinical Neurosciences*, 67, 451–456.
728. Vancampfort, D., Firth, J., Schuch, F., Rosenbaum, S., De Hert, M., Mugisha, J., ... Stubbs, B. (2016a). Physical activity and sedentary behavior in people with bipolar disorder: A systematic review and meta-analysis. *Journal of Affective Disorders*, 201, 145–152.
729. Vancampfort, D., Knapen, J., Probst, M., Scheewe, T., Remans, S., & De Hert, M. (2012). A systematic review of correlates of physical activity in patients with schizophrenia. *Acta Psychiatrica Scandinavica*, 125, 352–362.
730. Vancampfort, D., Probst, M., Scheewe, T., Maurissen, K., Sweers, K., Knapen, J., & De Hert, M. (2011). Lack of physical activity during leisure time contributes to an impaired health related quality of life in patients with schizophrenia. *Schizophrenia Research*, 129(2), 122-127.
731. Vancampfort, D., Rosenbaum, S., Schuch, F., Ward, P., Probst, M., & Stubbs, B. (2016). Prevalence and predictors of treatment dropout from physical activity interventions in schizophrenia: A meta-analysis. *General Hospital Psychiatry*, 39, 15-23.
732. Vancampfort, D., Rosenbaum, S., Ward, P., & Stubbs, B. (2015). Exercise improves cardiorespiratory fitness in people with schizophrenia: A systematic review and meta-analysis. *Schizophrenia Research*, 169, 453-457.
733. Vancampfort, D., Sienaert, P., Wyckaert, S., De Hert, M., Stubbs, B., Soundy, A., ... Probst, M. (2015). Health-related physical fitness in patients with bipolar disorder versus healthy controls: an exploratory study. *Journal of Affective Disorders*, 177, 22–27.
734. Vanessa Helena Santana Dalla Déa, Edison Duarte, José Rubens Rebelatto, Alessandra Paiva de Castro, Força muscular de idosos com e sem depressão participantes de um programa de ginástica, *Acta Ortopédica Brasileira*, 10.1590/S1413-78522009000600001, 17, 6, (322-325), (2009).
735. "Vasilij, Igor, ""EVALUATING THE ATTITUDES AND PRACTICES OF EXERCISE PRESCRIPTION AMONG PSYCHOTHERAPISTS"" (2018). Theses and Dissertations--Educational, School, and Counseling Psychology. 66.
736. https://uknowledge.uky.edu/edp_etds/66 "
737. Vaynman S, Gomez-Pinilla F. Revenge on the "Sit" : How lifestyle impacts neuronal and cognitive health through molecular systems that interface energy metabolism with neuronal plasticity. *Journal of Neuroscience Research* 84:694-715, 2016
738. Vicki R. Nelson, Irfan M. Asif. Exercise as a Prescription for Mental Health 2020 DOI: 10.1007/978-3-030-44754-0_22

739. Vladimir Trkulja, Hrvoje Barić, Current Research on Complementary and Alternative Medicine (CAM) in the Treatment of Major Depressive Disorder: An Evidence-Based Review, *Major Depressive Disorder*, 10.1007/978-981-33-6044-0_20, (375-427), (2021).
740. von Hausswolff-Juhlin Y Bjartveit M Lindström E Jones P Schizophrenia and physical health problems. *Acta Psychiatr Scand Suppl.* 2009; 119: 15-21
741. Voruganti LNP Whatham J Bard E et al. Going beyond: an adventure- and recreation-based group intervention promotes well-being and weight loss in schizophrenia. *Can J Psychiatry.* 2006; 51: 575-580
742. Voss, M.W., Erickson, K.I., Prakash, R.S., Chaddock. L., Kim, J.S., Alves. H., Kramer, A.F. (2013).
743. Wasfy MM, Baggish AL. Exercise dose in clinical practice. *Circulation.* 2016;133:2297–2313.
744. Watt, H.C., Carson, C., Lawlor, D.A., Patel, R., & Ebrahim, S. (2009). Influence of life course socio-economic position on older women's health behaviors: findings from the British Women's Heart and Health Study. *American Journal of Public Health*, 99(2), 320–327. doi:10.2105/AJPH.2007.129288
745. Way K, Kannis-Dymand L, Lastella M, et al. Mental health practitioners' reported barriers to prescription of exercise for mental health consumers. *Ment Health Phys Act.* 2018;14:52–60.
746. Weber M Wyne K A cognitive/behavioral group intervention for weight loss in patients treated with atypical antipsychotics. *Schizophr Res.* 2006; 83: 95-101
747. Weiden PJ Mackell JA McDonnell DD Obesity as a risk factor for antipsychotic noncompliance. *Schizophr Res.* 2004; 66: 51-57
748. Weinstock, J., Capizzi, J., Weber, S.M., Pescatello, L.S., & Petry, N.M. (2014). Exercise as an intervention for sedentary hazardous drinking college students: a pilot study. *Mental Health and Physical Activity*, 7(1), 55-62.
749. Weiyu Mao, Man Guo, Ling Xu, Jinyu Liu, Iris Chi, Intergenerational support and self-rated health among older Chinese immigrants: Do depressive symptoms play a mediating role?, *China Journal of Social Work*, 10.1080/17525098.2020.1792644, (1-17), (2020).
750. Wendt SJ. Smoking cessation and exercise promotion counseling in psychologists who practice psychotherapy. *Am J Health Promot.* 2005;19:339–345.
751. White RL, Babic MJ, Parker PD, Lubans DR, Astell-Burt T, Lonsdale C. Domain-Specific Physical Activity and Mental Health: A Meta-analysis. *Am J Prev Med.* 2017;52(5):653-66.
752. Wichniak, A., Skowerska, A., Chojnacka-Wójtowicz, J., Taflński, T., Wierzbicka, A., Jernajczyk, W., & Jarema, M. (2011). Actigraphic monitoring of activity and rest in schizophrenic patients treated with olanzapine or risperidone. *Journal of Psychiatric Research*, 45(10), 1381-1386.
753. Wielopolski, J., Reich, K., Clepce, M., Fischer, M., Sperling, W., Kornhuber, J., & Thuerauf, N. (2014). Physical activity and energy expenditure during depressive episodes of major depression. *Journal of Affective Disorders*, 174, 310–316.
754. William M. McDonald, New Research in Low-Tech Solutions to a Significant Public Health Problem: Assessment of Depression in the Elderly, *The American Journal of Geriatric Psychiatry*, 10.1097/JGP.0b013e3181a93f67, 17, 7, (537-541), (2009).
755. Wilson, R.S., Bennett, D.A., Bienias, J.L., Aggarwal, N.T., Mendes de Leon, C.F., Morris, M.C., ...
756. Wipfli, B.M., Rethorst, C.D., and Landers, D.M. (2008). The anxiolytic effects of exercise: a meta-analysis of randomized trials and dose-response analysis. *Journal of Sport & Exercise Psychology*, 30, 392-410.
757. Wittchen, H.U., Jacobi, F., Rehm, J., Gustavsson, A., Svensson, M., Jönsson, B., ... & Steinhausen, H.C. (2011). The size and burden of mental disorders and other disorders of the brain in Europe 2010. *Eur Neuropsychopharmacology*, 21(9), 655-679. doi: 10.1016/j.euroneuro.2011.07.018.
758. World Health Organization (2008). *The World Health Report 2008: Health Systems: Now more than ever.* WHO, Geneva.
759. World Health Organization (2011). *Global Recommendations on Physical Activity for Health 5–17 years old.* <http://www.who.int/dietphysicalactivity/pa/en/index.html>

760. World Health Organization (2013). Comprehensive Mental Health Action Plan 2013-2020. Geneva: World Health Organization. apps.who.int/gb/ebwha/pdf_files/WHA66_R8-en.pdf
761. World Health Organization (2014). Health for the world's adolescents: a second chance in the second decade. Geneva, WHO. <http://apps.who.int/adolescent/second-decade/>
762. World Health Organization (2015). The European Mental Health Action Plan. WHO Regional Office for Europe UN City, Marmorvej 51 DK-2100 Copenhagen Ø, Denmark.
763. World Health Organization (2017). WHO Global Action Plan on Physical Activity 2018–2030. WHO, Geneva.
764. World Health Organization (2018a). Fact Sheet about Mental Disorders (www.who.int).
765. World Health Organization (2018b). Fact Sheet about Mental Health: strengthening our response (www.who.int).
766. World Health Organization. (2018). Management of physical health conditions in adults with severe mental disorders: WHO guidelines.
767. World Health Organization. Global action plan on physical activity 2018–2030: more active people for a healthier world. Geneva: World Health Organization; 2018.
768. World Health Organization. Global recommendations on physical activity for health. Geneva: World Health Organization; 2010.
769. World Health Organization. Guidelines on physical activity, sedentary behaviour and sleep for children under 5 years of age. Geneva: World Health Organization; 2019.
770. World Health Organization. Implementation tools: package of essential noncommunicable (PEN) disease interventions for primary health care in low-resource settings. Geneva: World Health Organization; 2013.
771. World Health Organization. Integrated care for older people: guidelines on community-level interventions to manage declines in intrinsic capacity. Geneva: World Health Organization; 2017.
772. World Health Organization. Risk reduction of cognitive decline and dementia: WHO guidelines. Geneva: World Health Organization; 2019.
773. World Health Organization. WHO Handbook for guideline development – 2nd ed. Geneva: World Health Organization; 2014.
774. World Health Organization. WHO recommendations on antenatal care for a positive pregnancy experience. Geneva: World Health Organization; 2016.
775. Yaffe, K., Barnes, D., Nevitt, M., Lui, L., & Covinsky, K. (2001). A prospective study of physical activity and cognitive decline in elderly women: Women who walk. *Archives of Internal Medicine*, 161(14), 1703–1708. doi:10.1001/archinte.161.14.1703
776. Yang PY, Ho KH, Chen HC, et al. Exercise training improves sleep quality in middle-aged and older adults with sleep problems: a systematic review. *J Physiother*. 2012;58:157–163.
777. Yang, W. L., Zhai, F., Gao, Y. M., & Zhang, Q. H. (2015). Collective rehabilitation training conducive to improve psychotherapy of college students with anxiety disorder. *International Journal of Clinical and Experimental Medicine*, 8(6), 9949.
778. Yanting Chen, Guiling Ma, Yun Hu, Qiyuan Yang, Jeanene M. Deavila, Mei-Jun Zhu, Min Du, Effects of Maternal Exercise During Pregnancy on Perinatal Growth and Childhood Obesity Outcomes: A Meta-analysis and Meta-regression, *Sports Medicine*, 10.1007/s40279-021-01499-6, (2021).
779. Yasunaga A Shibata A Ishii K Koohsari MJ Oka K Cross-sectional associations of sedentary behaviour and physical activity on depression in Japanese older adults: an isotemporal substitution approach. *BMJ Open*. 2018; 8e022282
780. Yi-Han Hu, Ching-Ju Chiu, Jen D. Wong, Dai-Chan Lin, Linda A. Wray, The Role of Leisure Activities in the Relationship Between Marital Transition in Later Midlife and Psychological Well-Being Trajectories, *The International Journal of Aging and Human Development*, 10.1177/0091415017729683, 86, 4, (327-346), (2017).
781. Ying Wen Lau, Janhavi Ajit Vaingankar, Edimansyah Abdin, Saleha Shafie, Anitha Jeyagurunathan, Yunjue Zhang, Harish Magadi, Li Ling Ng, Siow Ann Chong, Mythily Subramaniam, Social support

- network typologies and their association with dementia and depression among older adults in Singapore: a cross-sectional analysis, *BMJ Open*, 10.1136/bmjopen-2018-025303, 9, 5, (e025303), (2019).
782. Yoosoo Chang, Jin-Won Noh, Joo Young Cheon, Yejin Kim, Young Dae Kwon, Seungho Ryu, Self-rated health and risk of incident non-alcoholic fatty liver disease: A cohort study, *Scientific Reports*, 10.1038/s41598-020-60823-8, 10, 1, (2020).
783. Yoo-Soon Bang, Hee-Young Kim, Myung Heo, Relationships between Physical Activity Participation, Depression and Body Function of the Elderly in Community, *The Journal of the Korea Contents Association*, 10.5392/JKCA.2009.9.10.227, 9, 10, (227-237), (2009).
784. Young, D.C. (2005). Mens sana in corpore sano? Body and mind in ancient Greece. *International Journal of the History of Sport*, 22, 22-41.
785. Yunhwan Lee, Kyunghye Park, Does physical activity moderate the association between depressive symptoms and disability in older adults? 2017 <https://doi.org/10.1002/gps.1870>
786. Z. Feng, Q. Li, L. Zhou, Z. Chen, W. Yin, The relationship between depressive symptoms and activity of daily living disability among the elderly: results from the China Health and Retirement Longitudinal Study (CHARLS), *Public Health*, 10.1016/j.puhe.2021.06.023, 198, (75-81), (2021).
787. Zanetidou S, Assirelli B, Bagnoli L, Zocchi D, Bettocchi M, Belvederi Murri M et al. 2017 Italian National Conference of the Italian Network for Healthy Cities (WHO European Healthy Cities Network). 2017. <https://www.retecittasane.it/meeting/2017/xv-meeting-nazionale-citta2019-sane-2017-gli-atti-del-convegno>.
788. Zanetidou S, Belvederi Murri M, Amore M, Bagnoli L, Zocchi D, Siena M et al. Physical exercise for late life depression: tailored treatments between Psychiatry and Primary Care - 'Distinguished Paper' and "NAPCRG Pearl Award" at the 43rd North American Primary Care Research Group (NAPCRG) Annual Meeting, October 24-28, 2015 Cancun,. 2015. <https://www.napcrg.org/pearls>.
789. Zanetidou S, Belvederi Murri M, Menchetti M, Toni G, Asioli F, Bagnoli L et al. Physical Exercise for Late-Life Depression: Customizing an Intervention for Primary Care. *J Am Geriatr Soc* 2017; 65: 348–355.
790. Zervou F., Stavrou, N., Kohen, S., Zounhia, K., & Psychountaki, M. (2017). Motives for exercise participation: The role of individual and psychological characteristics. *Cogent Psychology*, 4(1), article: 1345141 <http://dx.doi.org/10.1080/23311908.2017.1345141>.
791. Zhai L Zhang Y Zhang D Sedentary behaviour and the risk of depression: a meta-analysis. *Br J Sports Med*. 2015; 49: 705-709
792. Zhang, J., & Yen, S.T. (2015). Physical Activity, Gender Difference, and Depressive Symptoms. *Health Services Research*, 50(5), 1550–1573. doi:10.1111/1475-6773.12285
793. Zubin Maslov P, Schulman A, Lavie CJ, et al. Personalized exercise dose prescription. *Eur Heart J*. 2018;39:2346–2355.